

STANLEY

PRODUCT CATALOG 2014



CONTENTS

2-6

MECHANICS TOOLS



17-18

SPECIALTY TOOLS



24-27

PLIERS



37-42

SCREWDRIVERS & KEYS



46-49

HAMMERS, CHISELS,
PRY BARS & PUNCHES



52-53

TORQUE CONTROL GUIDE



7-12

SOCKETS & ACCESSORIES



19-20

SPECIALTY TOOL SETS



28-34

CUTTING TOOLS



43

FASTENING TOOLS



50

HYDRAULIC TOOLS



13-16

SPANNERS & SETS



21-23

TOOL STORAGE



35-36

PIPE TOOLS



44-45

MEASURING & LAYOUT
TOOLS



51

BRITool TORQUE WRENCHES



MECHANIC TOOLS



All Mechanics Tools meet or exceeds applicable ANSI & DIN standards

Double Nickel Chromium alloy coated tip reduces corrosion

MECHANICS TOOLS

Thin Head Allows access to tight spaces

5° Ratcheting arc allows you to use Micro-Tough in the most confined applications

Locking Mechanism retains sockets to make your work safer and more Productive



Maxi-Drive™

Patented gripping designed to out perform conventional drive configuration
Reduces the chance of rounding fastener corners and extends fastener life
Enables to turn worn or rounded fasteners

Maxi-Drive™



MECHANIC TOOLS - 150PC MASTER SET



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
94-181	10Pc 1/4 DRIVE 6 POINT SOCKETS: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2	1	2	23,646
	10Pc 1/4 DRIVE 6 POINT METRIC SOCKETS: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm			
	6 Pc 1/4 DRIVE 6 POINT METRIC DEEP SOCKETS: 4, 5, 6, 7, 8, 9mm			
	3 Pc 3/8 DRIVE PHILLIPS® BIT SOCKETS: #1, #2, #3			
	9 Pc 3/8 DRIVE 6 POINT SOCKET: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8			
	6 Pc 3/8 DRIVE 6 POINT METRIC DEEP SOCKETS: 10, 11, 12, 13, 14, 15, mm			
	2 Pc 3/8 DRIVE EXTENSION BAR - LOCKING: 3, 6 (76, 152mm)			
	2 Pc 3/8 DRIVE SPARK PLUG METRIC SOCKETS: 16, 21mm			
	8 Pc 3/8 DRIVE 6 POINT TORX® SOCKETS: E8, E10, E11, E12, E14, E16, E18, E20			
	11Pc 3/8 DRIVE 6 POINT METRIC SOCKETS: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm			
	4 Pc 1/2 DRIVE IMPACT 6 POINT METRIC SOCKETS: 17, 19, 21, 23mm			
	4 Pc 1/2 DRIVE 12 POINT SOCKETS: 15/16, 1, 1-1/16, 1-1/4			
	7 Pc 1/2 DRIVE 12 POINT SOCKETS: 20, 21, 22, 24, 27, 30, 32mm			
	6 Pc 3/8 DRIVE HEX BIT SOCKET 3, 4, 5, 6, 8, 10mm			
	3 Pc 3/8 DRIVE POZIDRIVE® BIT SOCKETS: #1, #2, #3,			
	12Pc FULL POLISH LONG PANEL COMBINATION WRENCHES: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm			
	3 Pc DOUBLE BOX REVERSAL METRIC RACHETING WRENCHES: 8x9, 12x13, 17x19mm			
	7 Pc 1/4 DRIVE TORX (HOLE) BIT: T-10, T-15, T-20, T-25, T-27, T-30, T-40			
	10Pc HEX KEY: 1.5, 2.0, 2.5, 3.0, 4, 5, 6, 7, 8, 10mm			
	1 Pc 1/4 DRIVE PEAR HEAD RACHET WITH COMFORT GRIP			
	1 Pc 1/4 DRIVE EXTENSION BAR 100mm			
	1 Pc 1/4 SPINNER HANDLE			
	6 Pc 1/2 DRIVE DEEP 6 POINT METRIC SOCKET : 10, 12, 13, 14, 17, 19mm			
	2 Pc 1/2 DRIVE EXTENSION BAR : 5, 10 (125, 150mm)			
	3 Pc 3/8 DRIVE SLOTTED BIT SOCKETS: 4, 5.5, 6.5mm			
	7 Pc 3/8 DRIVE TORX® BIT SOCKETS : T-20, T-30, T-40, T-45, T-50, T-55, T-60			
	1 Pc. 1/4 DRIVE UNIVERSAL JOINT			
	1 Pc. 1/4 DRIVE ADAPTER			
	1 Pc 3/8 DRIVE PEAR HEAD RATCHET WITH COMFORT GRIP			
	1 Pc 3/8 DRIVE UNIVERSAL JOINT			
	1 Pc 1/2 DRIVE PEAR HEAD RATCHET WITH COMFORT GRIP			
	1 Pc 1/2 DRIVE UNIVERSAL JOINT			

MECHANIC TOOLS - 120PC MASTER SET



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
91-931	10 Pc 1/4 DRIVE SOCKET 6 POINT: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2	1	2	16,328
	12 Pc 1/4 DRIVE SOCKET 6 POINT: 4, 5, 5.5, 6, 6.5, 7, 8, 9, 10, 11, 12, 13mm			
	4 Pc 1/4 DRIVE DEEP SOCKET 6 POINT: 8, 9, 10, 12mm			
	11 Pc 3/8 DRIVE SOCKET 6 POINT: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm			
	9 Pc 3/8 DRIVE SOCKET 6 POINT: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8			
	4 Pc 3/8 DRIVE DEEP SOCKET 6 POINT: 13, 14, 15, 17mm			
	7 Pc 1/2 DRIVE SOCKET 6 POINT: 20, 21, 22, 24, 27, 30, 32mm			
	8 Pc 3/8 DRIVE TORX® SOCKET: E8, E10, E11, E12, E14, E16, E18, E20			
	4 Pc 1/2 DRIVE SOCKET 6 POINT: 15/16, 1, 1-1/16, 1-1/4			
	4 Pc 1/2 DRIVE IMPACT SOCKET 6 POINT: 14, 19, 21, 23mm			
	2 Pc 3/8 DRIVE SPARK PLUG SOCKET 6 POINT: 16, 21mm			
	7 Pc 3/8 DRIVE TORX® (HOLE) BITS: T10, T15, T20, T25, T27, T30, T40			
	17 Pc 3/8 DRIVE 6 POINT BIT SOCKETS: TORX®: T20, T30, T40, T45, T50, T55, T60			
	HEX: 3 4 5 6mm, PHILLIPS®: 1Pt, 2Pt, POZIDRIVE®: 1Pt 2Pt,			
	SLOTTED: 5.5, 6.5mm			
	3 Pc UNIVERSAL JOINT: 1/4, 3/8, 1/2			
	1 Pc 1/4 DRIVE BIT ADAPTER: 1/4			
	1 Pc 1/4 DRIVE SPINNER			
	1 Pc 1/4 DRIVE EXTENSION BAR: 2 (50mm)			
	2 Pc 3/8 DRIVE EXTENSION BAR: 3, 10 (75, 250mm)			
	2 Pc 1/2 DRIVE EXTENSION BAR: 5, 10 (125, 250mm)			
	3 Pc PEAR HEAD RACHET: 1/4, 3/8, 1/2			
	10 Pc FULL POLISH LONG PANEL COMBINATION WRENCHES: 9, 10, 11, 12, 13, 14, 17, 18, 19mm			

MECHANIC TOOLS - 91PC MASTER SET



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
91-933	12 Pc 1/4 DRIVE SOCKET 6 POINT: 4, 5, 5.5, 6, 6.5, 7, 8, 9, 10, 11, 12, 13mm	1	2	13,505
	10 Pc 1/4 DRIVE DEEP SOCKET 6 POINT: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm			
	13 Pc 1/2 DRIVE SOCKET 6 POINT: 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32mm			
	2 Pc 1/4 DRIVE EXTENSION BAR: 2, 4 (50, 100mm)			
	1 Pc 1/4 T-BAR SLIDING			
	1 Pc 1/4 UNIVERSAL JOINT			
	1 Pc 1/4 ADAPTER			
	1 Pc 1/4 BIT ADAPTER			
	1 Pc 1/4 SPINNER			
	1 Pc 1/4 MAGNETIC ADAPTER			
	27 Pc 1/4 BITS: SLOTTED: 4, 5.5, 7MM, PHILLIPS®: OPT, 1PT, 2PT, 3PT,			

MECHANIC TOOLS - 91PC MASTER SET

Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
91-933	POZIDRIV®: 1PT, 2PT, 3PT, Hex: 3, 4, 5, 6, 8, 10mm, Torx: T-8, T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-50, T-55	1	2	13,505
	2 Pc 1/2 DRIVE EXTENSION BAR : 5, 10 (125, 250mm)			
	1 Pc 1/2 UNIVERSAL JOINT			
	1 Pc 1/2 6 POINT SPARK PLUG SOCKETS 21mm			
	1 Pc 1/2 BITS ADAPTER			
	1 Pc 1/2 ADAPTER 10mm SQ. HOLE x 12.5mm SQ. HEAD			
	3 Pc HEX KEY: 1.5,2,2.5mm			
	1 Pc 1/4 DRIVE PEAR HEAD RACHET			
	1 Pc 1/2 DRIVE PEAR HEAD RACHET			
	4 Pc SOCKET WRENCH: 10x12mm, 11x13mm, 12x14mm, 14x17mm			
	6 Pc FULL POLISH COMBINATION WRENCH: 8,10,12,13,14,17mm			

MECHANIC TOOLS - 86 PIECE 1/4 & 1/2 DRIVE 6 POINT METRIC SET



METRIC

Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
94-190	14 Pc 1/4 DRIVE 6 POINT METRIC SOCKET: 3.5,4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm	1	2	9,577
	8 Pc 1/4 DRIVE 6 POINT METRIC DEEP SOCKETS: 6, 7, 8, 9, 10, 11, 12, 13mm			
	2 Pc 1/4 & 1/2 DRIVE PEAR HEAD RACHET WITH COMFORT GRIP			
	2 Pc 1/4 DRIVE EXTENSION BAR: 2, 4 (50, 100mm)			
	1 Pc 1/4 SLIDING T-BAR: 4 (100mm)			
	1 Pc 1/4 DRIVE BIT SPINNER			
	1 Pc 1/4 DRIVE UNIVERSAL JOINT			
	1 Pc 3/8 DRIVE FEMALE & 1/2 DRIVE MALE: 3-WAY ADAPTER			
	14 Pc 1/2 DRIVE 6 POINT METRIC SOCKETS: 13, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm			
	4 Pc 1/2 DRIVE 6 POINT DEEP METRIC SOCKETS: 14, 16, 17, 19mm			
	2 Pc 1/2 DRIVE EXTENSION BAR: 5, 10 (125, 250mm)			
	1 Pc 1/2 DRIVE UNIVERSAL JOINT			
	1 Pc 1/2 DRIVE BIT HOLDER: 5/16			
	2 Pc 1/2 DRIVE 6 POINT SPARK PLUG METRIC SOCKETS: 16, 21mm			
	6 Pc 1/4 DRIVE TORX® BIT SOCKETS: T-8, T-10, T-15, T-20, T-25, T-30			
	4 Pc 1/4 DRIVE HEX BIT SOCKETS: 3, 4, 5, 6mm			
	2 Pc 1/4 DRIVE PHILLIPS® BIT SOCKETS: #1, #2			
	2 Pc 1/4 DRIVE POZIDRIV® BIT SOCKET: #1, #2			
	3 Pc 1/4 DRIVE SLOTTED BIT SOCKETS: 4, 5.5, 6.5mm			
	3 Pc 5/16 DRIVE SLOTTED®: 8, 10, 12mm			
	2 Pc 5/16 DRIVE PHILLIPS® BIT: #3, #4			
	2 Pc 5/16 DRIVE POZIDRIV® BIT: #3, #4			
	4 Pc 5/16 Drive Torx® Bit with Rubber Holder: T-40, T-45, T-50, T-55			
	4 Pc 5/16 Drive Hex Bits: 8, 10, 12, 14mm			

MECHANIC TOOLS - 35 PIECE 1/4 DRIVE 6 POINT SOCKET & BIT SET



METRIC

Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-89-033	13 Pc 1/4 DRIVE 6 POINT SOCKETS: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm	1	16	2,088
	6 Pc 1/4 DRIVE ACCESSORIES: 1 PC SPINNER HANDLE, 2 PC EXTENSIONS: 75, 150mm, 1 Pc UNIVERSAL JOINT, 1 PC "PROFESIONAL" RACHET, 1 PC HEX BIT HOLDER			
	4 Pc HEX BIT: 3, 4, 5, 6mm,			
	6 Pc TORX® BITS: T-10, T-15, T-20, T-25, T-30, T-40			
	3 Pc POSIDRIVE® BITS: 1, 2, 3			
	3 Pc Slotted Bits: 4, 5.5, 6.5			

SOCKETS & ACCESSORIES - 46 PCS 1/4 DRIVE METRIC SOCKET SET



NEW

Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
STMT72794-8	1Pc 1/4 DRIVE QUICK RELEASE RACHET	1	8	2,197
	2Pc 1/4 DRIVE EXTENSIONS: 50 and 100mm			
	1Pc 1/4 DRIVE FLEXIBLE EXTENSION			
	1Pc 1/4 DRIVE UNIVERSAL JOINT			
	1Pc 1/4 DRIVE SLIDING T-BAR			
	1Pc 1/4 DRIVE SPINNER HANDLE			
	4Pc 1/4 HEX KEYS 1.5,2,2.5,3mm			
	22Pc 1/4 DRIVE BIT SOCKETS - HEX 3,4,5,6,7,8mm			
	TORX® T8,T10,T15,T20,T25,T30,T40 PHILLIPS® 1PT, 2PT, 3PT			
	POZIDRIVE® 1,2,3 SLOTTED- 4,5.5,7mm			
	13Pc 1/4 DRIVE 6 POINT SOCKET 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm			

SOCKETS & ACCESSORIES - 42 PCS 1/4 DRIVE METRIC SOCKET SET



NEW

Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
STMT72793-8	1Pc 1/4 DRIVE QUICK RELEASE RACHET	1	8	1,925
	2Pc 1/4 DRIVE EXTENSIONS : 50 & 100mm			
	1Pc 1/4 DRIVE UNIVERSAL JOINT			
	1Pc 3/8 TO 1/4 DRIVE COUPLER			
	1Pc 1/4 DRIVE BIT HOLDER			
	1Pc 1/4 DRIVE SPINNER HANDLE			
	1Pc 1/4 MAGNETIC PICK UP SOCKET			
	20Pc 1/4 BITS - HEX 3,4,5,6,8mm, TORX® T10,T15,T20,T25,T30,T40,			
	PHILLIPS® 1PT, 2PT, 3PT POZIDRIVE® 1,2,3 SLOTTED 4,5,5,7mm			
	14Pc 1/4 6 PT SOCKETS - 3.5,4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm			

MECHANIC TOOLS - 24 PIECE 3/8 DRIVE METRIC SOCKET SET



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-89-035	19 Pc 3/8 DRIVE 6 POINT SOCKETS: 6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24mm	1	8	2,990
	5 Pc 3/8 DRIVE ACCESSORIES: 2 Pc EXTENSIONS: 75, 150mm, 1 Pc UNIVERSAL JOINT, 1 Pc SLIDING T-BAR 1 Pc PROFESSIONAL RATCHET			

MECHANIC TOOLS - 46 PIECE 1/4 & 3/8 DRIVE SOCKET & BIT SET



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
89-516	7 Pc 3/8 DRIVE 12POINT SOCKETS: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 12 Pc 3/8 DRIVE 12 POINT SOCKETS: METRIC- 8,9,10,11,12,13,14,15,16,17,18,19mm 9 Pc 1/4 DRIVE BIT SET: POZIDRIV BIT-1,2,3mm & HEX BIT-3,4,5,6,7,8mm 9 Pc 1/4 DRIVE BIT SET: SLOTTED BITS - 4,5,6.5 & TORX® BITS - T10,T15,T20,T25, T30,T40 9 Pc 3/8 DRIVE ACCESSORIES: 2 PC. SPARK PLUG SOCKET, 6 POINT SOCKET: 5/8 & 13/16 , 2 Pc EXTENSION BAR-75 & 150mm , 1 Pc UNIVERSAL JOINT, 1 Pc ADAPTER, 1 Pc FULL POLISH QUICK RELEASE RATCHET, 1 Pc 1/4 DRIVE BIT ADAPTER 1 Pc 1/4 DRIVE SPINNER HANDLE	1	2	3,406

MECHANIC TOOLS - 43PC 1/2 DRIVE 12 POINT SOCKET SET



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
89-509	15 Pc 1/2 DRIVE 12 POINT SOCKETS: 3/16, 7/16, 1/2, 9/16, 1-1/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/8, 1-3/16, 1-1/4 20 Pc 1/2 DRIVE 12 POINT SOCKETS: METRIC-10,11,12,13,14,15,16,17,18,19,20, 21,22,23,24,26,27,28,30,32mm 8 Pc 1/2 DRIVE ACCESSORIES: 2 PC 6 POINT SPARK PLUG SOCKET: 5/8 & 13/16, 1 Pc UNIVERSAL JOINT, 1 PC FLEX HANDLE-375mm, 3 EXTENSION BARS - 3,5 & 10 (75, 125, 250mm), 1 PC FULL POLISH QUICK RELEASE RACHET	1	2	7,063

MECHANIC TOOLS - 40PC 1/2 DRIVE METRIC SOCKET & SPANNER SET



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
91-935	21 Pc 1/2 DRIVE SOCKET 6 PONT: 10,11,12,13,14,15,16,17,18,19,20, 21,22,23,24,25,26,27,28,30,32mm 2 Pc 1/2 DRIVE EXTENSION BAR: 5, 10 (125, 250mm) 1 Pc 1/2 DRIVE UNIVERSAL JOINT 1 Pc 1/2 FLEX HANDLE: 10 (254mm) 1 Pc 1/2 DRIVE PEAR HEAD RACHET WITH COMFORT GRIP 13 Pc FULL POLISH COMBINATION WRENCH: 7,8,9,10,11,12,13,14,15, 16,17,18,19mm 1 Pc 1/2 DRIVE ADAPTER	1	2	10,193

MECHANIC TOOLS - 26PC 1/2 DRIVE METRIC 12 POINT SOCKET SET



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
86-477	20 Pc 1/2 DRIVE 12 POINT SOCKETS: 10,11,12,13,14,15,16,17,18,19,20, 21,22,23, 24,25,26,27,30,32mm 6 Pc 1/2 DRIVE ACCESSORIES: 2 PC EXTENSION BAR: 5 & 10(125 & 250mm) , 1 Pc UNIVERSAL JOINT, 1 Pc SPARK PLUG SOCKET 6 POINT 13/16, 1 Pc SLIDING T-BAR 10(254mm), 1 Pc FLIP-DRIVE RACHET	1	4	3,893

MECHANIC TOOLS - 28PC FIELD REPAIR SET



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
91-938	18 Pc 1/2 DRIVE 6 POINT SOCKET : 10,11,12,13,14,15,16,17,18,19,20, 21,22,23,24, 27,30,32mm 2 Pc 1/2 DRIVE EXTENSION BAR: 5, 10 (125, 25mm) 1 Pc 1/2 DRIVE UNIVERSAL JOINT 1 Pc 1/2 ADAPTER 1 Pc PEAR HEAD RACHET 1 Pc ADJUSTABLE SPANNER 8(200mm) 1 Pc LONG NOSE PLIER 6(152mm) 3 Pc SCREWDRIVER: SLOTTED: 3 x 75mm, 5 x 100mm Phillips®: 2 x 100mm	1	4	6,125

MECHANIC TOOLS - 26PC 1/2 DRIVE 12 POINT SOCKET SET



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
86-478	20 Pc 1/2 DRIVE 12 POINT SOCKETS: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 25/32, 13/16, 7/8, 15/16, 31/32, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4	1	4	4,125
	6Pc 1/2 DRIVE ACCESSORIES: 2 EXTENSION BAR: 5 & 10(125, 250mm), 1PC UNIVERSAL JOINT, 1 PC SPARK PLUG SOCKET 6 POINT 13/16, 1 SLIDING T-BAR 10(254mm), 1 PC FLIP-DRIVE RACHET			

SOCKETS & ACCESSORIES - 24 PCS 1/2 DRIVE METRIC SOCKET SET



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
STMT72795-8	1Pc 1/2 DRIVE QUICK RELEASE RATCHET	1	4	3,341
	1Pc 1/2 DRIVE EXTENSIONS : 130 & 250mm			
	1Pc 1/2 DRIVE UNIVERSAL JOINT			
	1Pc 1/2 DRIVE SLIDING T-HANDLE			
	1Pc 1/2 DRIVE SPARK PLUG SOCKETS 21mm			
	18Pc 1/2 DRIVE 6 POINT SOCKET - 10,11,12,13,14,15,16,17,18,19,20,21, 22,23,24,27,30,32mm			

NEW

MECHANIC TOOLS - 24PC 1/2 DRIVE 6 POINT METRIC SOCKET SET



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-86-589	17Pc 1/2 DRIVE 6 POINT SOCKETS: 10,11,12,13,14,15,17,18,19,20, 21,22,23,24, 27,30,32mm	1	4	4,946
	7Pc 1/2 DRIVE ACCESSORIES: 1Pc SPARK PLUG SOCKET, 1 Pc FULL POLISHED RACHET, 1 Pc SLIDING T-BAR 10(254mm), 1 Pc UNIVERSAL JOINT, 1 Pc FLEX HANDLE 17(432mm), 2 Pc EXTENSION BAR: 5 & 10 (125, 250mm)			

MECHANIC TOOLS - 24PC 1/2 DRIVE 6 POINT METRIC SOCKET SET



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
91-939	18Pc 1/2 DRIVE SOCKET 6 PONT: 10,11,12,13,14,15,16,17,18, 19,20,21,22,23,24,27,30,32mm	1	4	5,585
	2Pc 1/2 DRIVE EXTENSION BAR: 5 & 10(125, 250mm)			
	1Pc 1/2 DRIVE UNIVERSAL JOINT			
	1Pc ADAPTER 1/2 DRIVE 3/8 F* 1/2 M (3 WAY)			
	1Pc 1/2 DRIVE 10 (254mm) FLEX HANDLE			
	1Pc 1/2 DRIVE PEAR HEAD RACHET WITH COMFORT GRIP			

MECHANIC TOOLS - 9PC 1/2 DRIVE TORX® BIT SOCKET SET



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-89-098	9Pc 1/2 DRIVE TORX® BIT SOCKET SET-METRIC-T-20, T-25, T-27, T-30, T-40, T-45, T-50	1	12	1,067

MECHANIC TOOLS - 7PC 1/2 DRIVE HEX BIT METRIC SOCKET SET



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-89-099	7Pc 1/2 DRIVE HEX BIT SOCKETS: 6,8,10,12,14,17,19mm	1	12	1,211

MECHANIC TOOLS - 19PC 3/4 DRIVE 12 POINT METRIC SOCKET SET



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-89-101	15Pc 3/4 DRIVE 12 POINT SOCKETS: 22,24,27,28,29,30,32,33,34,36,38, 41,42,46,50MM	1	2	11,603
	4PC 3/4 DRIVE ACCESSORIES: 2 PC EXTENSION BAR: 200 & 400mm, 1 PC SLIDING T-BAR 480mm, 1 PC STANDARD RACHET			

SOCKETS & ACCESSORIES




All Stanley Mechanics Tools, Sockets & Accessories are made of Chrome Vanadium (CR-V) steel material.

Products meet or exceed applicable ANSI and DIN standards
(DIN - Deutsches Institut für Normung e.v.)
(ANSI - American National Standards Institute)

Maxi-Drive™

Patented gripping designed to outperform conventional drive configuration
Reduces the chance of rounding fastener corners and extends fastener life
Enables to turn worn or rounded fasteners



Stanley Socket & Ratchets

Stanley offers a complete range of sockets and 1/4, 3/8, 1/2 & 3/4 drive tools. Our sockets sets combine the most popular tools in drop tested durable multi use cases convenient for storage and transporting to the work site.

Stanley drive tools are forged from high quality steel and finished in high-polish double Nickel Chromium Alloy and are ergonomically designed and have an easy-to-use, thumb-operated reverse-switch mechanism. Sockets and extensions remain locked onto the drive until disengaged with an easy-to-reach, low-profile quick-release button.

Stanley sockets feature our MAXI-DRIVE design, a unique radius corner design which provides 15% more torque to tighten fasteners easily and prevent rounding of the fastener.

MAXI-DRIVE helps reduce fastener wear & tear by minimizing contact on the outer 5% of the fastener; helping increase life expectancy of the fastener. It also helps reduce slipping on frozen or rusted fasteners.

All Stanley Ratchets, Sockets and Wrenches are manufactured globally, to Stanley specifications, meeting or exceeding ANSI & DIN specifications.



SOCKETS & ACCESSORIES - METRIC SOCKETS 6 POINTS

1/4 Drive



Part No.	Description	Size	Wt.(gm)	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-86-101	SOCKET STD 1/4 SQ. DR.	4mm	10	12	96	36
1-86-110	SOCKET STD 1/4 SQ. DR.	4.5mm	12	12	96	35
1-86-102	SOCKET STD 1/4 SQ. DR.	5mm	12	12	96	35
1-86-111	SOCKET STD 1/4 SQ. DR.	5.5mm	12	12	96	35
1-86-103	SOCKET STD 1/4 SQ. DR.	6mm	12	12	96	37
1-86-104	SOCKET STD 1/4 SQ. DR.	7mm	13	12	96	45
1-86-105	SOCKET STD 1/4 SQ. DR.	8mm	13	12	96	45
1-86-106	SOCKET STD 1/4 SQ. DR.	9mm	18	12	96	54
1-86-107	SOCKET STD 1/4 SQ. DR.	10mm	19	12	96	55
1-86-108	SOCKET STD 1/4 SQ. DR.	11mm	22	12	96	35
1-86-109	SOCKET STD 1/4 SQ. DR.	12mm	25	12	96	34
1-86-112	SOCKET STD 1/4 SQ. DR.	13mm	28	12	96	55
1-86-114	SOCKET STD 1/4 SQ. DR.	14mm	38	12	96	66

1/2 Drive



Part No.	Description	Size	Wt.(gm)	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-86-508	SOCKET STD 1/2 SQ. DR.	8mm	43	6	96	64
1-86-509	SOCKET STD 1/2 SQ. DR.	9mm	45	6	96	64
1-86-510	SOCKET STD 1/2 SQ. DR.	10mm	47	6	96	64
1-86-511	SOCKET STD 1/2 SQ. DR.	11mm	49	6	96	64
1-86-512	SOCKET STD 1/2 SQ. DR.	12mm	51	6	96	64
1-86-513	SOCKET STD 1/2 SQ. DR.	13mm	52	6	96	64
1-86-514	SOCKET STD 1/2 SQ. DR.	14mm	52	6	96	62
1-86-515	SOCKET STD 1/2 SQ. DR.	15mm	53	6	96	61
1-88-738	SOCKET STD 1/2 SQ. DR.	16mm	62	6	96	69
1-88-739	SOCKET STD 1/2 SQ. DR.	17mm	80	6	96	82
1-88-740	SOCKET STD 1/2 SQ. DR.	18mm	82	6	96	85
1-88-741	SOCKET STD 1/2 SQ. DR.	19mm	88	6	96	81
1-88-742	SOCKET STD 1/2 SQ. DR.	20mm	96	6	96	88
1-88-743	SOCKET STD 1/2 SQ. DR.	21mm	104	4	96	94
1-88-744	SOCKET STD 1/2 SQ. DR.	22mm	113	4	96	107
1-88-745	SOCKET STD 1/2 SQ. DR.	23mm	120	4	96	102
1-88-746	SOCKET STD 1/2 SQ. DR.	24mm	126	4	96	113
1-88-747	SOCKET STD 1/2 SQ. DR.	25mm	136	4	96	121
1-88-748	SOCKET STD 1/2 SQ. DR.	26mm	140	4	96	122
1-88-749	SOCKET STD 1/2 SQ. DR.	27mm	166	4	96	146
1-88-750	SOCKET STD 1/2 SQ. DR.	28mm	172	4	96	153
1-88-751	SOCKET STD 1/2 SQ. DR.	29mm	180	4	96	160
1-88-752	SOCKET STD 1/2 SQ. DR.	30mm	191	2	96	188
1-88-753	SOCKET STD 1/2 SQ. DR.	32mm	222	2	96	203
1-86-196	SOCKET STD 1/2 SQ. DR.	34mm	254	2	96	236
1-86-536	SOCKET STD 1/2 SQ. DR.	36mm	495	2	24	322

3/4 Drive

NEW

Part No.	Description	Size	Wt.(gm)	Pri. Box Qty	Sec. Box Qty	₹ (Each)
89-319	SOCKET STD 3/4 SQ. DR.	19mm	213	4	48	301
89-322	SOCKET STD 3/4 SQ. DR.	22mm	217	4	48	305
89-324	SOCKET STD 3/4 SQ. DR.	24mm	216	4	48	309
89-327	SOCKET STD 3/4 SQ. DR.	27mm	219	4	48	308
89-328	SOCKET STD 3/4 SQ. DR.	28mm	254	4	48	328
89-330	SOCKET STD 3/4 SQ. DR.	30mm	285	4	48	365
89-332	SOCKET STD 3/4 SQ. DR.	32mm	315	4	48	402
89-334	SOCKET STD 3/4 SQ. DR.	34mm	332	4	48	477
89-336	SOCKET STD 3/4 SQ. DR.	36mm	417	4	24	602
89-338	SOCKET STD 3/4 SQ. DR.	38mm	479	4	24	621
89-341	SOCKET STD 3/4 SQ. DR.	41mm	573	4	24	711
89-346	SOCKET STD 3/4 SQ. DR.	46mm	684	4	24	769
89-350	SOCKET STD 3/4 SQ. DR.	50mm	852	4	24	857

SOCKETS & ACCESSORIES - 1/2 DRIVE METRIC DEEP SOCKETS 12 POINTS

1/2 Drive



Part No.	Description	Size	Wt.(gm)	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-86-418	SOCKET DEEP 1/2 SQ. DR.	10mm	125	6	96	126
1-86-419	SOCKET DEEP 1/2 SQ. DR.	11mm	130	6	96	127
1-86-420	SOCKET DEEP 1/2 SQ. DR.	12mm	130	6	96	126
1-86-421	SOCKET DEEP 1/2 SQ. DR.	13mm	135	6	96	126
1-86-422	SOCKET DEEP 1/2 SQ. DR.	14mm	135	6	96	123
1-86-423	SOCKET DEEP 1/2 SQ. DR.	15mm	135	6	96	133
1-86-424	SOCKET DEEP 1/2 SQ. DR.	16mm	150	6	96	140
1-86-425	SOCKET DEEP 1/2 SQ. DR.	17mm	155	6	96	157
1-86-426	SOCKET DEEP 1/2 SQ. DR.	18mm	165	6	96	161
1-86-427	SOCKET DEEP 1/2 SQ. DR.	19mm	190	6	96	166
1-86-428	SOCKET DEEP 1/2 SQ. DR.	20mm	195	6	96	181
1-86-429	SOCKET DEEP 1/2 SQ. DR.	21mm	200	4	96	181
1-86-430	SOCKET DEEP 1/2 SQ. DR.	22mm	230	4	96	203
1-86-431	SOCKET DEEP 1/2 SQ. DR.	23mm	230	4	96	209
1-86-432	SOCKET DEEP 1/2 SQ. DR.	24mm	240	4	96	200
1-86-433	SOCKET DEEP 1/2 SQ. DR.	25mm	250	4	96	239
1-86-434	SOCKET DEEP 1/2 SQ. DR.	26mm	250	4	96	242
1-86-435	SOCKET DEEP 1/2 SQ. DR.	27mm	280	4	96	265
1-86-436	SOCKET DEEP 1/2 SQ. DR.	28mm	320	4	96	267
1-86-438	SOCKET DEEP 1/2 SQ. DR.	30mm	360	4	96	345
1-86-439	SOCKET DEEP 1/2 SQ. DR.	32mm	380	4	96	369

SOCKETS & ACCESSORIES - METRIC SOCKETS 12 POINTS

3/8 Drive



Part No.	Description	Size	Wt.(gm)	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-86-342	SOCKET STD 3/8 SQ. DR.	7mm	21	6	96	46
1-86-343	SOCKET STD 3/8 SQ. DR.	8mm	25	6	96	46
1-86-344	SOCKET STD 3/8 SQ. DR.	9mm	26	6	96	46
1-86-345	SOCKET STD 3/8 SQ. DR.	10mm	26	6	96	48
1-86-346	SOCKET STD 3/8 SQ. DR.	11mm	26	6	96	48
1-86-347	SOCKET STD 3/8 SQ. DR.	12mm	29	6	96	54
1-86-348	SOCKET STD 3/8 SQ. DR.	13mm	32	6	96	59
1-86-349	SOCKET STD 3/8 SQ. DR.	14mm	40	6	96	59
1-86-350	SOCKET STD 3/8 SQ. DR.	15mm	43	6	96	65
1-86-351	SOCKET STD 3/8 SQ. DR.	16mm	43	6	96	73
1-86-352	SOCKET STD 3/8 SQ. DR.	17mm	50	6	96	77
1-88-146	SOCKET STD 3/8 SQ. DR.	18mm	56	6	72	80
1-88-147	SOCKET STD 3/8 SQ. DR.	19mm	64	6	96	87
1-88-148	SOCKET STD 3/8 SQ. DR.	20mm	70	4	96	97
1-88-149	SOCKET STD 3/8 SQ. DR.	21mm	78	4	96	113
1-88-150	SOCKET STD 3/8 SQ. DR.	22mm	82	4	96	128
1-88-151	SOCKET STD 3/8 SQ. DR.	23mm	82	4	96	131

1/2 Drive

Part No.	Description	Size	Wt.(gm)	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-86-540	SOCKET STD 1/2 SQ. DR.	8mm	43	6	96	64
1-86-541	SOCKET STD 1/2 SQ. DR.	9mm	45	6	96	64
1-86-542	SOCKET STD 1/2 SQ. DR.	10mm	47	6	96	64
1-86-543	SOCKET STD 1/2 SQ. DR.	11mm	49	6	96	64
1-86-544	SOCKET STD 1/2 SQ. DR.	12mm	51	6	96	64
1-86-545	SOCKET STD 1/2 SQ. DR.	13mm	52	6	96	62
1-86-546	SOCKET STD 1/2 SQ. DR.	14mm	52	6	96	62
1-86-547	SOCKET STD 1/2 SQ. DR.	15mm	53	6	96	62
1-88-788	SOCKET STD 1/2 SQ. DR.	16mm	62	6	96	70
1-88-789	SOCKET STD 1/2 SQ. DR.	17mm	80	6	96	83
1-88-790	SOCKET STD 1/2 SQ. DR.	18mm	82	6	96	80
1-88-791	SOCKET STD 1/2 SQ. DR.	19mm	88	6	96	85
1-88-792	SOCKET STD 1/2 SQ. DR.	20mm	96	4	96	86
1-88-793	SOCKET STD 1/2 SQ. DR.	21mm	104	4	96	93
1-88-794	SOCKET STD 1/2 SQ. DR.	22mm	113	4	96	105
1-88-795	SOCKET STD 1/2 SQ. DR.	23mm	120	4	96	109
1-88-796	SOCKET STD 1/2 SQ. DR.	24mm	126	4	96	114
1-88-797	SOCKET STD 1/2 SQ. DR.	25mm	136	4	96	119
1-88-798	SOCKET STD 1/2 SQ. DR.	26mm	140	4	96	122
1-88-799	SOCKET STD 1/2 SQ. DR.	27mm	166	4	96	144
1-88-800	SOCKET STD 1/2 SQ. DR.	28mm	172	4	96	151
1-88-801	SOCKET STD 1/2 SQ. DR.	29mm	180	2	96	160
1-88-802	SOCKET STD 1/2 SQ. DR.	30mm	191	2	96	189
1-88-803	SOCKET STD 1/2 SQ. DR.	32mm	222	2	96	202
1-86-192	SOCKET STD 1/2 SQ. DR.	34mm	254	2	96	250
1-88-187	SOCKET STD 1/2 SQ. DR.	36mm	495	2	24	324

3/4 Drive

Part No.	Description	Size	Wt.(gm)	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-89-619	SOCKET STD 3/4 SQ. DR.	19mm	210	4	48	311
1-89-621	SOCKET STD 3/4 SQ. DR.	21mm	210	4	48	315
1-89-622	SOCKET STD 3/4 SQ. DR.	22mm	210	4	48	318
1-89-623	SOCKET STD 3/4 SQ. DR.	23mm	210	4	48	316
1-89-624	SOCKET STD 3/4 SQ. DR.	24mm	210	4	48	318
1-89-625	SOCKET STD 3/4 SQ. DR.	25mm	210	4	48	325
1-89-626	SOCKET STD 3/4 SQ. DR.	26mm	210	4	24	340
1-89-627	SOCKET STD 3/4 SQ. DR.	27mm	210	4	48	352
1-89-628	SOCKET STD 3/4 SQ. DR.	28mm	230	4	48	363
1-89-629	SOCKET STD 3/4 SQ. DR.	29mm	240	4	48	365
1-89-630	SOCKET STD 3/4 SQ. DR.	30mm	260	4	48	398
1-89-631	SOCKET STD 3/4 SQ. DR.	31mm	280	4	48	424
1-89-632	SOCKET STD 3/4 SQ. DR.	32mm	280	4	48	435
1-89-633	SOCKET STD 3/4 SQ. DR.	33mm	310	4	48	469
1-89-634	SOCKET STD 3/4 SQ. DR.	34mm	340	4	48	511
1-89-635	SOCKET STD 3/4 SQ. DR.	35mm	370	4	24	533
1-89-636	SOCKET STD 3/4 SQ. DR.	36mm	400	4	48	563
1-89-638	SOCKET STD 3/4 SQ. DR.	38mm	450	4	24	589
1-89-640	SOCKET STD 3/4 SQ. DR.	40mm	540	4	24	622
1-89-641	SOCKET STD 3/4 SQ. DR.	41mm	540	4	24	670
1-89-642	SOCKET STD 3/4 SQ. DR.	42mm	580	4	24	670
1-89-644	SOCKET STD 3/4 SQ. DR.	44mm	600	4	24	673
1-89-646	SOCKET STD 3/4 SQ. DR.	46mm	650	4	24	771
1-89-650	SOCKET STD 3/4 SQ. DR.	50mm	780	4	24	862
1-89-655	SOCKET STD 3/4 SQ. DR.	55mm	980	4	20	1,045
1-89-658	SOCKET STD 3/4 SQ. DR.	58mm	1000	4	20	1,093
1-89-660	SOCKET STD 3/4 SQ. DR.	60mm	1050	4	20	1,234

SOCKETS & ACCESSORIES - METRIC HEX BIT SOCKETS



1/2 Drive

Part No.	Description	Size	Wt.(gm)	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-89-188	SOCKET HEX BIT 1/2 SQ. DR.	6mm	64	6	96	113
1-89-189	SOCKET HEX BIT 1/2 SQ. DR.	8mm	74	6	96	120
1-89-190	SOCKET HEX BIT 1/2 SQ. DR.	10mm	83	6	96	120
1-89-191	SOCKET HEX BIT 1/2 SQ. DR.	12mm	94	6	96	132
1-89-192	SOCKET HEX BIT 1/2 SQ. DR.	14mm	105	6	96	142
1-89-193	SOCKET HEX BIT 1/2 SQ. DR.	17mm	143	6	96	170
1-89-194	SOCKET HEX BIT 1/2 SQ. DR.	19mm	182	6	96	252

SOCKETS & ACCESSORIES - 3/4 DRIVE PEAR HEAD RATCHET



Extra long handle for added leverage and more torque
Anti-slip and durable knurled metal handle design suit most industrial applications
Heavy duty pear haed ratchet with 45 tooth gear design for small 6.8 arc swing
Reversing lever designed for quick, one handed operation

Part No.	Description	Size	Wt.(gm)	Pri. Box Qty	Sec. Box Qty	₹ (Each)
91-316	RATCHET 3/4 SQ. DR. PRO	500mm	1930g	2	8	2,769

SOCKETS & ACCESSORIES - QUICK RELEASE PEAR HEAD RATCHET



Part No.	Description	Total Length	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-93-636	1/4 SQ. DR. PEAR HEAD RATCHET NP7	130mm	4	48	918
1-93-638	1/2 SQ. DR. PEAR HEAD RATCHET NP7	250mm	8	48	1,383

SOCKETS & ACCESSORIES - QUICK RELEASE PEAR HEAD RATCHET



Pear head ratchet with a slim profile design
7° arc-swing for accessibility to hard to reach fasteners
A single pawl with 8 teeth engages the gear to deliver strength
Comfortable & durable moulded plastic handle withstands most industrial solvents
Quick release push button provide extra safety and handy operation
Reversing level designed for quick, one hand operation

Part No.	Description	Total Length	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-93-637	3/8 SQ. DR. PEAR HEAD RATCHET NP7	370mm	4	32	1,190

SOCKETS & ACCESSORIES - 1/2 DRIVE QUICK RELEASE ROUND HEAD RATCHET



3 way quick release ratchet head for direction rotates
Round head ratchet for tight access area
Comfortable & durable moulded plastic handle withstands most industrial solvents
Quick release push button provide extra safety & handy operation

Part No.	Description	Wt.(gm)	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-86-397	RATCHET 1/2 SQ. DR QUICK RELEASE	620g	4	48	691

SOCKETS & ACCESSORIES - 1/2" DRIVE QUICK RELEASE PEAR HEAD RACHET



Thin head design for accessibility
Quick release push button provide extra safety & handy opeartion
Reversing level designed for quick, one hand opeartion
Full polish finish, double-nickle with chrome plating for extra rust resistance & prolonged life
Fine-tooth pear head ratchet 1/4 degree arc swing

Part No.	Description	Wt.(gm)	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-89-819	RATCHET 1/2 SQ. DR FULL POLISH	586g	4	24	934

SOCKETS & ACCESSORIES - RACHET ROUND HEAD



Round head ratchet for tight access area
Anti-slip & durable knurled metal handle design that suits most industrial applications
Flip drive ratchet head for easy direction rotates

Part No.	Description	Wt.(gm)	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-87-710	RATCHET 1/4 SQ. DR. FLIP DRIVE	150g	4	48	369
1-87-715	RATCHET 3/8 SQ. DR. FLIP DRIVE	370g	4	48	538
1-87-720	RATCHET 1/2 SQ. DR. FLIP DRIVE	620g	4	48	653

SOCKETS & ACCESSORIES - DRIVE FLEX HANDLE



Part No.	Description	Wt.(gm)	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-86-405	FLEX HANDLE 1/2 SQ. DR.	485g	4	32	501
1-89-302	FLEX HANDLE 3/4 SQ. DR.	1850g	2	16	2,133

SOCKETS & ACCESSORIES - 1/4 DRIVE SPINNER HANDLE



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-86-004	RATCHET SPINNER HANDLE 1/4 SQ. DR.	150mm	6	96	203

SOCKETS & ACCESSORIES - 1/4 & 3/4 DRIVE EXTENSION BARS



Part No.	Description	Size	Wt.	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-86-372	EXTENSION BAR 1/4 SQ. DR.	250mm/10	101g	6	72	289
1-86-208	EXTENSION BAR 3/8 SQ. DR.	250mm/10	235g	6	72	225
1-86-406	EXTENSION BAR 1/2 SQ. DR.	63mm / 2-1/2	100g	4	96	134
1-88-930	EXTENSION BAR 1/2 SQ. DR.	75mm/3	134g	4	96	122
1-86-407	EXTENSION BAR 1/2 SQ. DR.	125mm/5	204g	4	40	179
1-86-408	EXTENSION BAR 1/2 SQ. DR.	250mm/10	398g	4	40	267
1-89-308	EXTENSION BAR 3/4 SQ. DR.	400mm/16	1260g	2	16	1,269

NEW

Part No.	Description	Size	Wt.	Pri. Box Qty	Sec. Box Qty	₹ (Each)
89-307	EXTENSION BAR 3/4 SQ. DR.	200mm	720g	4	24	760

SOCKETS & ACCESSORIES - SPEEDER HANDLE



Part No.	Description	Wt.	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-86-212	HANDLE SPEEDER 3/8 SQ. DRIVE	328g	6	18	510
1-86-412	HANDLE SPEEDER 1/2 SQ. DRIVE	328g	4	48	506

SOCKETS & ACCESSORIES - L- HANDLE



Part No.	Description	Size	Wt.	Pri. Box Qty	Sec. Box Qty	₹ (Each)
86-493-22	L-HANDLE 1/2 SQ. DRIVE	250mm	325	20	40	376

SOCKETS & ACCESSORIES - L- HANDLE



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
86-375-22	L-HANDLE 3/4 SQ. DRIVE	450mm	6	12	1,054

SOCKETS & ACCESSORIES - SLIDING T-BAR



Part No.	Description	Size	Wt.(gm)	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-86-010	SLIDING T-BAR 1/4 SQ. DR.	108mm	38g	6	96	136
1-86-440	SLIDING T-BAR 1/2 SQ. DR.	243mm	289g	4	32	316
1-89-303	SLIDING T-BAR 3/4 SQ. DR.	480mm	1400g	2	8	1,186

SOCKETS & ACCESSORIES - ADAPTERS



NEW

Part No.	Description	Size	Wt.(gm)	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-86-214	ADAPTER 3/8 SQ. DR. F*1/4 SQ. DRIVE	3/8F x 1/4M	20	6	96	65
1-86-215	ADAPTER 3/8 SQ. DR F*1/2 SQ. DRIVE	3/8F x 1/2M	45	6	96	98
1-88-558	ADAPTER 1/2 SQ. DR. F*3/4 SQ. DRIVE	1/2F x 3/4M	113	6	160	160
1-86-414	ADAPTER 1/2 SQ. DR. F*3/8 SQ. DRIVE	1/2F x 3/8M	48	6	96	93
88-908	ADAPTER 3/4 SQ. DR. F*1/2 SQ. DRIVE	3/4F x 1/2M	125	4	48	216
88-909	ADAPTER 3/4 SQ. DR. F* 1 SQ. DRIVE	3/4F x 1M	160	4	32	558


SOCKETS & ACCESSORIES - 3/4 DRIVE UNIVERSAL JOINT



NEW

Part No.	Description	Wt.(gm)	Pri. Box Qty	Sec. Box Qty	₹ (Each)
93-091	3/4 DRIVE UNIVERSAL JOINT	225	4	32	1,753

SOCKETS & ACCESSORIES - 6 POINT T-HANDLE SOCKETS



High quality chrome vanadium steel forging
Thin wall design

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
93-302-1-22	T-HANDLE SOCKET	8 mm	10	50	391
93-303-1-22	T-HANDLE SOCKET	9 mm	10	50	391
93-304-1-22	T-HANDLE SOCKET	10 mm	10	50	391
93-306-1-22	T-HANDLE SOCKET	12 mm	10	50	403
93-307-1-22	T-HANDLE SOCKET	13 mm	10	40	403
93-308-1-22	T-HANDLE SOCKET	14 mm	10	40	408
93-309-1-22	T-HANDLE SOCKET	17 mm	10	30	477

IMPACT SOCKETS & ACCESSORIES - 6 PT. METRIC IMPACT SOCKET

Chrome Molybdenum for stronger torque

1/2 Drive



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
89-435	IMPACT SOCKET 1/2 SQ. DR.	8mm	10	200	118
89-436	IMPACT SOCKET 1/2 SQ. DR.	9mm	10	200	118
89-437	IMPACT SOCKET 1/2 SQ. DR.	10mm	10	200	118
89-438	IMPACT SOCKET 1/2 SQ. DR.	11mm	10	200	118
89-439	IMPACT SOCKET 1/2 SQ. DR.	12mm	10	200	119
89-440	IMPACT SOCKET 1/2 SQ. DR.	13mm	10	200	119
89-441	IMPACT SOCKET 1/2 SQ. DR.	14mm	10	200	119
89-442	IMPACT SOCKET 1/2 SQ. DR.	15mm	10	200	119
89-443	IMPACT SOCKET 1/2 SQ. DR.	16mm	10	200	136
89-444	IMPACT SOCKET 1/2 SQ. DR.	17mm	10	200	146
89-445	IMPACT SOCKET 1/2 SQ. DR.	18mm	10	200	147
89-446	IMPACT SOCKET 1/2 SQ. DR.	19mm	10	200	160
89-447	IMPACT SOCKET 1/2 SQ. DR.	20mm	10	200	178
89-448	IMPACT SOCKET 1/2 SQ. DR.	21mm	10	200	178
89-449	IMPACT SOCKET 1/2 SQ. DR.	22mm	10	80	181
89-450	IMPACT SOCKET 1/2 SQ. DR.	23mm	10	80	195
89-452	IMPACT SOCKET 1/2 SQ. DR.	25mm	10	80	223
89-453	IMPACT SOCKET 1/2 SQ. DR.	26mm	10	80	223
89-454	IMPACT SOCKET 1/2 SQ. DR.	27mm	10	80	227
89-455	IMPACT SOCKET 1/2 SQ. DR.	28mm	10	80	230
89-456	IMPACT SOCKET 1/2 SQ. DR.	30mm	10	80	248
89-457	IMPACT SOCKET 1/2 SQ. DR.	31mm	10	80	257
89-458	IMPACT SOCKET 1/2 SQ. DR.	32mm	10	80	257
89-459	IMPACT SOCKET 1/2 SQ. DR.	33mm	10	80	340
89-460	IMPACT SOCKET 1/2 SQ. DR.	34mm	10	80	358
89-461	IMPACT SOCKET 1/2 SQ. DR.	36mm	10	80	380

3/4 Drive

NEW

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
STMT89395-8B	IMPACT SOCKET 3/4 SQ. DR.	17mm	5	40	470
STMT89397-8B	IMPACT SOCKET 3/4 SQ. DR.	19mm	5	40	470
STMT89400-8B	IMPACT SOCKET 3/4 SQ. DR.	22mm	5	40	470
STMT89402-8B	IMPACT SOCKET 3/4 SQ. DR.	24mm	5	40	470
STMT89404-8B	IMPACT SOCKET 3/4 SQ. DR.	26mm	5	40	470
STMT89405-8B	IMPACT SOCKET 3/4 SQ. DR.	27mm	5	40	481
STMT89406-8B	IMPACT SOCKET 3/4 SQ. DR.	28mm	5	40	513
STMT89408-8B	IMPACT SOCKET 3/4 SQ. DR.	30mm	5	40	537
STMT89410-8B	IMPACT SOCKET 3/4 SQ. DR.	32mm	4	40	558
STMT89412-8B	IMPACT SOCKET 3/4 SQ. DR.	34mm	4	40	596
STMT89414-8B	IMPACT SOCKET 3/4 SQ. DR.	36mm	4	40	605
STMT89416-8B	IMPACT SOCKET 3/4 SQ. DR.	38mm	4	40	621
STMT89418-8B	IMPACT SOCKET 3/4 SQ. DR.	41mm	4	20	723
STMT89421-8B	IMPACT SOCKET 3/4 SQ. DR.	46mm	2	20	839
STMT89423-8B	IMPACT SOCKET 3/4 SQ. DR.	50mm	2	20	1034
STMT89426-8B	IMPACT SOCKET 3/4 SQ. DR.	55mm	2	10	1469
STMT89430-8B	IMPACT SOCKET 3/4 SQ. DR.	60mm	2	10	1720

IMPACT SOCKETS & ACCESSORIES - 1/2 DRIVE 6 PT. METRIC IMPACT SOCKET

Provides strength & durability

1/2 Drive




Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-92-959	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	10mm	10	48	241
1-92-960	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	11mm	10	48	241
1-91-379	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	12mm	10	80	241
1-87-500	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	13mm	10	96	241
1-87-501	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	14mm	10	80	241
1-87-502	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	15mm	10	96	284
1-91-380	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	16mm	10	80	284
1-87-504	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	17mm	10	80	284
1-87-505	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	18mm	10	72	287
1-87-506	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	19mm	10	80	293
1-87-507	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	21mm	10	80	306
1-87-508	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	22mm	10	80	319
1-91-395	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	26mm	4	16	333
1-91-396	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	27mm	4	48	333
1-91-398	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	29mm	2	20	389
1-91-403	SOCKET 1/2 SQ. DR. 6 PT IMPACT DEEP	30mm	2	20	401


SPANNERS & SETS



Made of High Quality Cr-V (Chrome Vanadium) steel
 Nickel Chrome finish for superior Corrosion resistance
 Product Quality Meet and Exceeds Indian Standards
 Ratcheting spanners with advanced manufacturing process
 5° Ratcheting arc
 Exceeds 50,000 cycles 60% longer life




Reversible Function for operating convenience



Open end spanner

SPANNERS - METRIC DOUBLE OPEN END SPANNER SET - MATTE FINISH



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
70-378	6PC DOUBLE OPEN END SPANNER SET	6x7, 8x9, 10x11, 12x13, 14x15, 16x17mm	1	60	206
70-379	8PC DOUBLE OPEN END SPANNER SET	6x7, 8x9, 10x11, 12x13, 14x15, 16x17mm	1	40	327
		18x19, 20x22mm			
70-380	12PC DOUBLE OPEN END SPANNER SET	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32mm	1	15	788

SPANNERS - OPEN END SPANNER - MATTE FINISH



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
70-366	DOUBLE OPEN END SPANNER	6x7mm	10	1,000	25
70-367	DOUBLE OPEN END SPANNER	8x9mm	10	800	25
70-368	DOUBLE OPEN END SPANNER	10x11mm	10	600	27
70-369	DOUBLE OPEN END SPANNER	12x13mm	10	500	33
70-370	DOUBLE OPEN END SPANNER	14x15mm	10	300	37
70-371	DOUBLE OPEN END SPANNER	16x17mm	10	250	47
70-372	DOUBLE OPEN END SPANNER	18x19mm	10	200	56
70-373	DOUBLE OPEN END SPANNER	20x22mm	10	150	71
70-374	DOUBLE OPEN END SPANNER	21x23mm	10	120	96
70-375	DOUBLE OPEN END SPANNER	24x27mm	10	80	111
70-376	DOUBLE OPEN END SPANNER	25x28mm	10	80	140
70-377	DOUBLE OPEN END SPANNER	30x32mm	10	60	150
72-060	DOUBLE OPEN END SPANNER	32x36mm	5	40	465
72-061	DOUBLE OPEN END SPANNER	34x36mm	5	50	465
72-062	DOUBLE OPEN END SPANNER	36x41mm	5	20	627
72-063	DOUBLE OPEN END SPANNER	41x46mm	5	10	1,235
72-064	DOUBLE OPEN END SPANNER	46x50mm	2	8	1,979
72-065	DOUBLE OPEN END SPANNER	50x55mm	2	8	2,734
72-066	DOUBLE OPEN END SPANNER	55x60mm	2	8	3,208

SPANNERS - DOUBLE OPEN END SLIMLINE SPANNER SET



Heavy Duty Nylon Pouch Inner Box

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-87-718	8 PCS. DOUBLE OPEN END SLIMLINE SPANNER SET	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm	1	12	2,140
87-712	7 PCS. DOUBLE OPEN END SLIMLINE SPANNER SET	1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 9/16 x 5/8, 11/16 x 3/4, 13/16 x 7/8, 15/16 x 1	1	12	2,314

SPANNERS - COMBINATION SPANNERS



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
70-936	COMBINATION SPANNER	6mm	10	800	32
70-937	COMBINATION SPANNER	7mm	10	800	33
70-938	COMBINATION SPANNER	8mm	10	800	33
70-939	COMBINATION SPANNER	9mm	10	800	34
70-940	COMBINATION SPANNER	10mm	10	600	36
70-941	COMBINATION SPANNER	11mm	10	400	38
70-942	COMBINATION SPANNER	12mm	10	400	39
70-943	COMBINATION SPANNER	13mm	10	300	41
70-944	COMBINATION SPANNER	14mm	10	300	50
70-945	COMBINATION SPANNER	15mm	10	250	58
70-946	COMBINATION SPANNER	16mm	10	200	61
70-947	COMBINATION SPANNER	17mm	10	200	62
70-948	COMBINATION SPANNER	18mm	10	150	76
70-949	COMBINATION SPANNER	19mm	10	150	79
70-950	COMBINATION SPANNER	20mm	10	100	89
70-951	COMBINATION SPANNER	21mm	10	100	106
70-952	COMBINATION SPANNER	22mm	10	100	113
70-953	COMBINATION SPANNER	23mm	5	100	138
70-954	COMBINATION SPANNER	24mm	5	80	154
70-955	COMBINATION SPANNER	25mm	5	80	169
70-957	COMBINATION SPANNER	27mm	5	60	222
70-960	COMBINATION SPANNER	30mm	5	40	303
70-961	COMBINATION SPANNER	32mm	5	40	341

SPANNERS - COMBINATION SPANNERS SET



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
70-962	6PCS. COMBINATION SPANNER SET	8,10,12,13,14 & 17mm	1	40	274
70-963	8PCS. COMBINATION SPANNER SET	8,9,10,11,13,14,17 & 19mm	1	20	385
70-964	12PC COMBINATION SPANNER SET	6,7,8,9,10,11,12,13,14,17,19 & 22mm	1	10	607
70-965	23PC COMBINATION SPANNER SET	6,7,8,9,10,11,12,13,14,15,16,17,18,19, 20,21, 22,23,24,25,27,30 & 32mm	1	4	2,527

SPANNERS - 14PC COMBINATION SLIMLINE SPANNERS SET

Heavy Duty Nylon Pouch Inner Box



Part No.	Description	Size	Wt.	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-87-036	14 PCS COMBINATION SPANNER SET	8,9,10,11,12,13,14,15,16,17,19, 21, 22, 24mm	3600	1	10	3,410
1-87-038	14 PCS COMBINATION SPANNER SET	10,11,12,13,14,17,19,21,22,23, 24, 26, 30, 32mm	2300	1	6	5,020
1-87-709	14 PCS COMBINATION SPANNER SET	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1 1/16, 1 1/8, 1 1/4	10400	1	6	5,392

SPANNERS - SHALLOW OFFSET RING END SPANNER - MATTE FINISH



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
70-381	SHALLOW OFFSET RING END SPANNER	6x7mm	10	400	55
70-382	SHALLOW OFFSET RING END SPANNER	8x9mm	10	30	63
70-383	SHALLOW OFFSET RING END SPANNER	10x11mm	10	250	70
70-384	SHALLOW OFFSET RING END SPANNER	12x13mm	10	200	74
70-385	SHALLOW OFFSET RING END SPANNER	14x15mm	10	160	84
70-386	SHALLOW OFFSET RING END SPANNER	16x17mm	10	120	101
70-387	SHALLOW OFFSET RING END SPANNER	18x19mm	10	100	121
70-388	SHALLOW OFFSET RING END SPANNER	20x22mm	5	60	146
70-389	SHALLOW OFFSET RING END SPANNER	21x23mm	5	60	175
70-390	SHALLOW OFFSET RING END SPANNER	24x27mm	5	50	217
70-391	SHALLOW OFFSET RING END SPANNER	25x28mm	5	40	253
70-392	SHALLOW OFFSET RING END SPANNER	30x32mm	5	30	329
72-067	SHALLOW OFFSET RING END SPANNER	32x36mm	5	20	823
72-068	SHALLOW OFFSET RING END SPANNER	36x41mm	5	10	1,145
72-069	SHALLOW OFFSET RING END SPANNER	41x46mm	5	10	3,555
72-070	SHALLOW OFFSET RING END SPANNER	46x50mm	2	8	3,873
72-071	SHALLOW OFFSET RING END SPANNER	50x55mm	2	6	6,013
72-072	SHALLOW OFFSET RING END SPANNER	55x60mm	2	6	6,872

SPANNERS - METRIC SHALLOW OFFSET RING SPANNER SET- MATTE FINISH



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
70-393	6 PCS. SHALLOW OFFSET RING SPANNER SET	6x7, 8x9, 10x11, 12x13, 14x15, 16x17mm	1	30	469
70-394	8 PCS. SHALLOW OFFSET RING SPANNER SET	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm	1	20	728
70-395	12 PCS. SHALLOW OFFSET RING SPANNER SET	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32mm	1	6	1,621

SPANNERS - 10 PCS. METRIC 75° OFFSET RING SPANNER SET



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-87-617	10 PCS 75° OFFSET RING SPANNER SET	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27mm	1	10	3,099

SPANNERS - OPEN END SLOGGING SPANNER

Cr-V forging, durable
European most popular design



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
71-683	OPEN END SLOGGING SPANNER	24mm	1	50	912
71-684	OPEN END SLOGGING SPANNER	27mm	1	25	979
96-936-23	OPEN END SLOGGING SPANNER	30mm	1	25	866
96-938-23	OPEN END SLOGGING SPANNER	32mm	1	25	1,022
96-939-23	OPEN END SLOGGING SPANNER	36mm	1	20	1,178
96-940-23	OPEN END SLOGGING SPANNER	41mm	1	20	1,496
96-941-23	OPEN END SLOGGING SPANNER	46mm	1	20	1,865
96-950-23	OPEN END SLOGGING SPANNER	50mm	1	10	2,307
96-951	OPEN END SLOGGING SPANNER	55mm	1	10	2,551
96-952	OPEN END SLOGGING SPANNER	60mm	1	5	2,963
96-953	OPEN END SLOGGING SPANNER	65mm	1	5	3,241
96-954-23	OPEN END SLOGGING SPANNER	70mm	1	5	3,985
96-955-23	OPEN END SLOGGING SPANNER	75mm	1	5	4,761
96-956	OPEN END SLOGGING SPANNER	80mm	1	4	6,440
96-957	OPEN END SLOGGING SPANNER	85mm	1	4	7,311
96-958	OPEN END SLOGGING SPANNER	90mm	1	3	10,143
96-959	OPEN END SLOGGING SPANNER	95mm	1	3	12,621
96-960-23	OPEN END SLOGGING SPANNER	100mm	1	2	14,985
96-961-23	OPEN END SLOGGING SPANNER	105mm	1	2	17,179

SPANNERS - RING END SLOGGING SPANNER

Cr-V forging, durable
European most popular design



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
71-682	RING END SLOGGING SPANNER	24mm	1	50	685
96-911	RING END SLOGGING SPANNER	27mm	1	25	718
96-913	RING END SLOGGING SPANNER	30mm	1	25	789
96-914	RING END SLOGGING SPANNER	32mm	1	25	838
96-915	RING END SLOGGING SPANNER	36mm	1	25	993
96-917	RING END SLOGGING SPANNER	41mm	1	10	1,261
96-918	RING END SLOGGING SPANNER	46mm	1	10	1,730
96-919	RING END SLOGGING SPANNER	50mm	1	10	1,867
96-920	RING END SLOGGING SPANNER	55mm	1	10	2,361
96-921	RING END SLOGGING SPANNER	60mm	1	10	2,342
96-922	RING END SLOGGING SPANNER	65mm	1	10	2,847
96-923	RING END SLOGGING SPANNER	70mm	1	5	5,248
96-924	RING END SLOGGING SPANNER	75mm	1	5	5,378
96-925	RING END SLOGGING SPANNER	80mm	1	5	6,928
96-926	RING END SLOGGING SPANNER	85mm	1	5	7,076
96-927	RING END SLOGGING SPANNER	90mm	1	4	8,422
96-928	RING END SLOGGING SPANNER	95mm	1	4	10,700
96-929	RING END SLOGGING SPANNER	100mm	1	2	10,882
96-930	RING END SLOGGING SPANNER	105mm	1	2	12,485
96-931	RING END SLOGGING SPANNER	110mm	1	2	15,230
96-932	RING END SLOGGING SPANNER	115mm	1	2	18,083
96-934	RING END SLOGGING SPANNER	120mm	1	2	21,064

SPANNERS - FULL POLISH COMBINATION REVERSIBLE RATCHETING SPANNERS



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
85-931-1-22	REVERSIBLE RATCHETING SPANNER	8mm	6	120	805
89-519-1-22	REVERSIBLE RATCHETING SPANNER	9mm	6	120	819
85-933-1-22	REVERSIBLE RATCHETING SPANNER	10mm	6	120	871
89-558-1-22	REVERSIBLE RATCHETING SPANNER	11mm	6	120	943
85-934-1-22	REVERSIBLE RATCHETING SPANNER	12mm	6	90	998
85-936-1-22	REVERSIBLE RATCHETING SPANNER	13mm	6	90	1,087
85-937-1-22	REVERSIBLE RATCHETING SPANNER	14mm	6	90	1,148
85-938-1-22	REVERSIBLE RATCHETING SPANNER	15mm	6	60	1,205
85-939-1-22	REVERSIBLE RATCHETING SPANNER	18mm	6	60	1,469
89-515-1-22	REVERSIBLE RATCHETING SPANNER	19mm	6	60	1,469

SPANNERS - ADJUSTABLE SPANNERS



Comfort grip for anti-slip & comfort
 Jaws fully hardened & tempered
 25% more torque
 For holding on fastening nuts & bolts
 Rust resistant finish

Part No	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
87-796-23	ADJUSTABLE SPANNER	450mm/18	1	12	2,183
97-797-23	ADJUSTABLE SPANNER	600mm/24	1	6	3,438

SPANNERS - ADJUSTABLE SPANNERS



Jaws Fully hardened & tempered
 For holding on fastening nuts & bolts
 25% more torque
 Rust resistant
 Micro Satin Finish

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
87-430-1-23	ADJUSTABLE SPANNER	100mm/4	6	120	250
87-431-1-23	ADJUSTABLE SPANNER	150mm/6	6	120	315
87-432-1-23	ADJUSTABLE SPANNER	200mm/8	6	60	413
87-433-1-23	ADJUSTABLE SPANNER	250mm/10	6	60	510
87-434-1-23	ADJUSTABLE SPANNER	300mm/12	6	24	672
87-435-1-23	ADJUSTABLE SPANNER	375mm/15	4	24	1,174

SPANNERS - ADJUSTABLE SPANNER



Over all high quality carbon steel appropriate forging
 Hardened jaw, tempered to hold strong
 Precision nut, holding with ease
 Body spray treatment, comprehensive anti-rust
 On the jaw laser calibration, facilitate operations

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
87-371-1-	ADJUSTABLE SPANNER	250mm/10	2	12	2,164

SPECIALTY TOOLS



SPECIALITY TOOLS- 2 & 3 ADJUSTABLE JAW PULLER SET



82-100: The patterns of thread: TW14x2.0 with trapezoid 29° spread: 50-100mm Reach: 63mm
 82-102: The patterns of thread: TW18x2.5 with trapezoid 29° spread: 60-150mm Reach; 105mm

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
82-100-22	2 & 3 JAW PULLER SET	100mm/4	1	6	2,351
82-102-22	2 & 3 JAW PULLER SET	150mm/6	1	8	3,612

SPECIALITY TOOLS- 3 JAW PULLER




The high quality chrome vanadium steel material, puller fingernail to pass through the special heat treatment.
Durable
 The user-friendly design, comfortable to use.
 Suitable in the demolition automobile profession & the industry profession bearing, the gear & so on

Part No.	Description	Size	Pulling Force	Pri. Box Qty	Sec. Box Qty	₹ (Each)
70746-S	3 JAW PULLER	75mm / 3	1.5 ton	1	24	1,849
70747-S	3 JAW PULLER	100mm / 4	3.5 ton	1	12	2,494
70748-S	3 JAW PULLER	150mm / 6	5.0 ton	1	4	4,159
70875-S	3 JAWS PULLER	200mm / 8	15.0 ton	1	8	3,894
70876-S	3 JAWS PULLER	250mm / 10	18.0 ton	1	4	8,423
70877-S	3 JAWS PULLER	300mm / 12	22.0 ton	1	3	10,633

SPECIALITY TOOLS- HEAVY-DUTY GREASE GUN WITH PLASTIC HANDLE



Special Complimentary



Part No.	Description	Allow Wt.	Work Bearable Pressure	Most Bearable Pressure	Pri. Box Qty	Sec. Box Qty	₹ (Each)
94-165	HEAVY-DUTY GREASE GUN	140 oz	8000 PSI	12000 PSI	1	12	1,718

SPECIALITY TOOLS- PROFESSIONAL MINI GREASE GUN



Part No.	Description	Specs.	Allow Wt.	Work Bearable Pressure	Most Bearable Pressure	Pri. Box Qty	Sec. Box Qty	₹ (Each)
90-178	MINI GREASE GUN	120cc	30 oz	3600 PSI	4500 PSI	1	6	1,040

SPECIALITY TOOLS- PNEUMATIC GREASE GUN



Part No.	Description	Specs.	Allow Wt.	Work Bearable Pressure	Most Bearable Pressure	Pri. Box Qty	Sec. Box Qty	₹ (Each)
95-050	PNEUMATIC GREASE GUN	400cc	140 oz	6000 PSI	10000 PSI	1	6	2428

SPECIALITY TOOLS- GREASE GUN SPRAY NOZZLE



Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
94-166-2	GREASE GUN SPRAY NOZZLE	20	500	123

SPECIALITY TOOLS- 25 BLADES FEELER GAUGE



Standard type feeler gauge with blades fold into metal case.
25 precision blades sizes form 0.04mm to 1.00mm
High grade stainless steel with anti rust

Part No.	Description	Blades Sizes	Wt.	Pri. Box Qty	Sec. Box Qty	₹ (Each)
70115-S	FEELER GAUGE	0.04 - 1mm	125g	10	50	358

SPECIALITY TOOLS- OIL FILTER WRENCH (STRAP TYPE)



16 inches High strength Nylon Strap

Part No.	Description	Body Dia.	Pri. Box Qty	Sec. Box Qty	₹ (Each)
997694-S	OIL FILTER WRENCH	50 - 108mm	1	25	600

NEW

SPECIALITY TOOLS- 12-IN-1 MULTI TOOL



Part No.	Description	Body Dia.	Pri. Box Qty	Sec. Box Qty	₹ (Each)
1-84-519	12 IN 1 MULTITOOl	50 - 108mm	1	12	889
	LONG NOSE PLIER, WIRE CUTTER, SAW, 1/4 SCREWDRIVER, SMALL KNIFE, BOTTLE OPENER, CURVE JAW PLIER, 5/16 SCREWDRIVER, FILE, LARGE KNIFE, PHILLIPS SCREWDRIVER, STANDARD SCREWDRIVER 1/8				

NEW

SPECIALITY TOOLS- SCREW EXTRACTORS



Uses the Cr-Mo steel after the heat treatment
The fast convenient disassemblage of screw, pipe, bolt & stud & so on

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹
94-171	5PC. EXTRACTORS SET	3, 6, 8, 11, 14mm	5	25	378

TOOL SETS



Stanley unique tool suite, optimal configuration, handy use
 Saddle bag of high quality nylon bag, comfortable easy to carry
 Saddlebag layer fix framework, correct placement of tools ensured, no deformation
 Stanley has around 1000 products launched in India which can be customized according to customer needs

SPECIALITY TOOLS- 53 PCS TELECOMMUNICATION TOOL SET

A customized tool set specially designed for professional or technician field service applications - ideal for trouble-shooting, general service & maintenance
 Equipped with most basic tools and test equipments-the essentials you need for everyday on the job
 Popular tool set - widely used in industry & government sectors
 Toughest and durable blow mould case compared with normal tool bag
 Economically priced, trusted quality product selection & value



Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹ (Each)
89-883	TELE COMMUNICATION TOOL SET	1PC STANDARD DIGITAL MULTI METER, 4PC PHILLIPS SCREWDRIVERS : #1X75, #1X150, #2X45, #2X100mm 4PC SLOTTED SCREWDRIVERS :3X75, 3X150, 6.5X45, 6.5X100mm 1PC MEASURING TAPE 3m 1PC UTILITY KNIFE 1PC LONG NOSE PLIER 150mm/6 1PC LINESMAN PLIER 200mm/8 1PC MINI-HACKSAW 1PC ADJUSTABLE WRENCH 250mm/10 1PC WIRE STRIPPER 225mm/9 10PC HEX KEY SET: 1.5,2, 2.5,3,4,5,5.5,6,8,10mm 1PC 1/4 SPINNER HANDLE 1PC 1/4 DRIVE ADAPTER 13PC 1/4 DRIVE 6 POINT SOCKETS: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm 6PC PRECISION SCREWDRIVER SET: OPT, 1PT, 1.4mm, 2.0mm, 2.4mm, 3.0mm 1PC SOLDERING IRON 1PC SOLDER 1PC DESORDERING PUMP 1PC DIGITAL TESTER 1PC TWEEZERS 1PC BLOW MOULD CASE	1	3	11,847

SPECIALITY TOOLS- 42 Pcs ULTIMATE TOOL KIT



Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹ (Each)
71-996-IN	ULTIMATE TOOL KIT	8PCS HEX KEY WITH HOLDER: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 5/32, 3/16, 7/32, 1/4	1	4	3,295
		8PCS HEX KEY WITH HOLDER: 1.5,2,2.5,3,4,5,5.5,6mm			
		1PC ADHESIVE TAPE 300mm/12			
		1PC 175mm/7 COMBINATION PLIER			
		10PCS 25L BIT WITH HOLDER			
		4PCS PRECISION SCREWDRIVER			
		1PC 7 oz CLAW HAMMER			
		1PC 225mm/9 VIAL TORPEDO LEVEL			
		1PC BIT DRIVER			
		1PC SET HARDWARE ACCESSORY BOX			
		1PC ZIPPER BAG			
		1PC TORCH			
		1PC 200mm/8 SCISSOR			
		1PC SNAP-OFF KNIFE			
		1PC DIGITAL TESTER			
		1PC 250mm/10 MINI HACK SAW			

NEW

SPECIALITY TOOLS- 22 Pcs ELECTRICIAN'S TOOL SET



Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹ (Each)
92-005	ELECTRICIAN'S TOOL KIT	1PC MEASURING TAPE 3m	1	10	5,460
		1PC MULTI METER			
		1PC 200mm/8 SLIP JOINT PLIERS			
		1PC LONG NOSE PLIERS			
		10PCS METRIC HEX KEY SET			
		1PC 150mm/6 ADJUSTABLE SPANNER			
		1PC SLOTTED SCREWDRIVER 5X100mm			
		1PC PHILLIPS SCREWDRIVER #1X100MM			
		1PC DIGITAL SPARK TEST PEN			
		1PC TORCH LIGHT			
		1PC PVC ADHESIVE TAPE			
		1PC ELECTRICIAN KNIFE			
		1PC WATER PROOF TOOL BAG			

SPECIALITY TOOLS- 22 PCS MUST HAVE TOOL SET



Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹ (Each)
92-010	MUST HAVE TOOL SET	1PC 5m MEASURING TAPE	1	6	5,318
		2PC SLOTTED SCREWDRIVER 5x100mm, 6.5x100mm			
		2PC PHILLIPS SCREWDRIVER #1x100mm, #2 X 150mm			
		1PC 200mm/8 ADJUSTABLE SPANNER			
		1PC 200mm/8 COMBINATION PLIER			
		1PC 150mm/6 LONG NOSE PLIER			
		10PCS HEX KEY SET			
		1PC SNAP OFF KNIFE WITH BLADE			
		1PC MINI HACK SAW 3/4			
		1PC 16oz CLAW HAMMER			
		1PC TOOL BAG			

SPECIALITY TOOLS- 18 PCS TOOL SET



Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹ (Each)
90-597	18PC TOOL SET	1PC PRECISION SCREWDRIVER SET	1	4	6,189
		1PC 200mm/8 LINESMAN PLIER			
		1PC 150mm/6 LONG NOSE PLIER			
		1PC 200mm/8 ADJUSTABLE SPANNER			
		1PC TEST PEN 100-500V AC 150Mmm			
		1PC 9mm SNAP-OFF KNIFE			
		2PC SLOTTED SCREWDRIVER 3x100mm, 6.5x150mm			
		2PC PHILLIPS SCREWDRIVER #0x100mm, #2 X 150mm			
		1PC SOLDER IRON 30W / 220V			
		1PC MEASURING TAPE 8m			
		1PC HEX KEY SET			
		1PC 13oz WOOD HANDLE NAIL HAMMER			
		1PC TORCH LIGHT			
		1PC PINCHER			
		1PC SCISSOR			
		1PC NYLON BAG			

SPECIALITY TOOLS- 8 Pcs BASIC TOOL KIT



Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹ (Each)
72-118-IN	BASIC TOOL KIT	1PC 200mm/8 ADJUSTABLE SPANNER	1	6	1,995
		1PC 200mm/8 COMBINATION PLIER			
		1PC MINI HACK SAW			
		1PC CLAW HAMMER			
		1PC SPARK DETECTING TESTER			
		1PC SCREWDRIVERS 1/4 X 100mm/4			
		1PC PHILLIPS SCREWDRIVER #2 X 100mm/4			
		1PC SET OF SCREWS AND NAILS			

NEW

TOOLS STORAGE



TOOLS STORAGE- 7 DRAWER WORK STATION



Electro-powder coating to resist scratch & solvent markings
 Ball bearing slide with quick disconnect
 Double wall construction with heavy duty metal side handle to provide ultimate durability
 Full-length drawer pulls with liners & top vinyl mat included
 Heavy duty 5"x2" casters & easy grip cabinet side handle for better mobility

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
93-547-23ID	7 DRAWER ROLLER CABINET	674x459x857mm	1	1	44,711

TOOLS STORAGE- 9 DRAWER WORK STATION



Starboard with side tank, large items can be placed two layers adjustable drawers convenient to use
 Safe drum type locking devices stronger better anti-theft performance
 Sand painted surface anti-scratch resist dissolution strong anti-rust ability
 Heavy TPR double brake wheel strong lock durable strong bearing may reach 500kg
 Specially designed heavy R angle drawer handles pulling convenient
 Double ball bearing smooth track design having self locking ability

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
94-193	9 DRAWER WORKSTATION	1035mmx457mmx897mm	1	1	76,827

TOOLS STORAGE - 6 DRAWER TOP CHEST



Electro-powder coating to resist scratch & solvent markings
 Ball bearing slide with quick disconnect
 Double wall construction with heavy duty metal side handle to provide ultimate durability
 Full-length drawer pulls with liners included

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
93-546-23	6 DRAWER TOP CHEST	660mmx307mmx378mm	1	1	19,997

TOOLS STORAGE - 5 TRAY CANTILEVER BOX



Electro-powder coating to resist scratch & solvent markings
 Heavy duty metal for body construction & handle to provide ultimate durability
 Double latch for greater strength Tray swing out for easy tool access
 Double handle for more comfort

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
STST73595-8	CANTILEVER BOX 5 TRAY 2 HANDLE	460x200x200mm	1		2,268
STST73596-8	CANTILEVER BOX 5 TRAY 2 HANDLE	530x200x200mm	1		2,558

NEW

TOOLS STORAGE - 5 TRAY CANTILEVER BOX



Electro-powder Coating To Resist Scratch & Solvent Markings Heavy Duty Metal For Body
Construction & Handle To Provide Ultimate Durability
Double Latch For Grater Strength
Tray Swing Out For Easy Tool Access
Top Handle for greater mobility

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
93-545-23	CANTILEVER BOX 5 TRAY TOP HANDLE	60x200x224mm	1	1	3,026

TOOLS STORAGE - 3 TRAY METAL TOOL BOX



Sand Painted Surface, Anti-scratch Resist Dissolution Strong Anti-rust Ability
Distinctive Box Cover & Body Integrated Structure Durable
Heavy Handle More Loading Capacity

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
94-192-23	CANTILEVER BOX 3 TRAY TOP HANDLE	460x205x170mm	1	1	3,185

TOOLS STORAGE - MOBILE WORK CENTRE



Mobile work center 2 in 1 with large bottom bin & large metal side latches

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
18603	MOBILE WORK CENTRE 2 IN 1	470x298x619mm	1		8,400

TOOLS STORAGE - 560mm / 22 PLASTIC TOOL BOX



Imported new pattern double colour plastic aesthetic impact
Lock button using the metal material nickel plating accomplished, durable, strong lock
The product does not include tools & accessories of pictures

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
92-908	PLASTIC TOOL BOX	565x315x282mm	1		3,258

TOOLS STORAGE - 480mm / 19 PLASTIC TOOL BOX



Imported new pattern double colour plastic aesthetic impact
Imported new pattern double colour plastic aesthetic impact
Lock button using the metal material nickel plating accomplished durable strong lock

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
92-906	PLASTIC TOOL BOX	486x270x237mm	1		2,195

TOOLS STORAGE - 400mm / 16 PLASTIC TOOL BOX



Imported new pattern double colour plastic aesthetic impact
Lock button using the metal material nickel plating accomplished durable strong lock
The product does not include tools & accessories of pictures

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
92-905	Plastic Tool Box	400x254x183mm	1		1,699

TOOLS STORAGE- WATER-PROOF NYLON TOOL BAG - BIG



High grade water proof nylon material
Durable & easy to carry about
Unique design, convenience of use

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
93-225	NYLON TOOL BAG, WATER PROOF	650x230x300mm	1	10	2,066

TOOLS STORAGE- WATER-PROOF NYLON TOOL BAG - MEDIUM



High grade water proof nylon material
Durable & easy to carry about
Unique design, convenience of use

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
93-224	NYLON TOOL BAG, WATER PROOF	450x230x300mm	1	10	1,677

TOOLS STORAGE- WATER-PROOF NYLON TOOL BAG - MEDIUM



High grade water proof nylon material
Durable & easy to carry about
Unique design, convenience of use

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
93-223	NYLON TOOL BAG, WATER PROOF	230x300x300mm	1	10	1,414

TOOLS STORAGE- WATER-PROOF NYLON TOOL BAG - SMALL



High grade water proof nylon material
Durable & easy to carry about
Unique design, convenience of use

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
93-222	NYLON TOOL BAG, WATER PROOF,	100x170x250mm	1	25	485

TOOLS STORAGE- BELT TOOL BAG



Uses the high-quality nylon material durable
Designs reasonably unique, handy

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
95-267	BELT TOOL BAG	180mm X 80mm X 200mm	1		743

TOOLS STORAGE- TOOL APRON



Uses the high-quality nylon material durable
Designs reasonably unique, handy

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
95-269	TOOL APRON	520mmX550mm	1	24	543

STORAGE- TOOL BAG WITH WHEELS



Uses high quality nylon material durable
Designs reasonably unique
Expandable - like the tension bar & the trundle, facilitates the use

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
93-328	WHEELED TOOL BAG,	510x270x445mm	1	24	3,321


STORAGE - SQUARE POUCH



Uses the high-quality nylon material durable
Designs reasonably unique handy

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
96-256	SQUARE POUCH	140mmX120mmX65mm	1	10	253

PLIERS



Induction hardened cutting edges

Finger Guard for Better Control & Added Safety

1000 Volt rated safe live wire working handle

Bi-material Grip for comfort

The best pliers to suit your needs

Stanley VDE Pliers are drop forged from high carbon steel for durability with bi-material insulated handles to 1000V for safety and induction hardened cutting edges.



PLIERS- VDE PLIER SET



1000 volt rated handle, safe live wire working handle tested up to 10000 volts, conform to current norms
 Bi-material grip for comfort
 Finger guard for better control & added user safety
 Conform to DIN standard

Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
84-011-22	VDE 3PC PLIERS SET (84-001,84-003,84-007)	1	4	3,071

PLIERS- VDE COMBINATION PLIERS



1000 volt rated handle, safe live wire working handle tested up to 10000 volts confirm to current norms
 Bi-material grip for comfort
 Finger guard for better control & added user safety
 Conform to DIN standard
 EN 60900, ICE/CEI 900 VDE 0680

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
84-001-22	VDE COMBINATION PLIER,	180mm / 7	4	24	1,609
84-002-22	VDE COMBINATION PLIER,	200mm / 8	4	24	1,609

PLIERS - MINIATURE PLIERS



Small sized for precision work
Nickel chromed for durability
Double dip handles for comfort

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
84-096-23	PLIER MINIATURE, NEEDLE NOSE	125mm/5	6	36	241
84-119-23	PLIER MINIATURE, LONG NOSE	125mm/5	6	36	202
84-122-23	PLIER MINIATURE, FLAT NOSE	125mm/5	6	36	218
84-124-23	PLIER MINIATURE, DIAGONAL CUTTING	100mm/4	6	36	218
84-125-23	PLIER MINIATURE, END NIPER	100mm/4	6	36	212
84-126-23	PLIER MINIATURE, BEND NOSE	125mm/5	6	36	218

PLIERS - PLASTIC NIPPER



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
84-134-1-23	PLASTIC NIPPER	125mm-5	6	36	537
84-135-1-23	PLASTIC NIPPER	150mm-6	6	36	611

PLIERS - COMBINATION PLIER



Material: C45, Full Body Hardened
Jaws & Cutting Edge are Induction Hardened & Tempered- Black - Phosphate Finish
Anti-Rust Protected
Single Acetate / Double Color Sleeve (Acetate + TPR)

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
71-877	COMBINATION PLIER, SINGLE COLOR SLEEVE	150mm/6	6	96	257
71-878	COMBINATION PLIER, SINGLE COLOR SLEEVE	180mm/7	6	72	272
70-461	COMBINATION PLIER, SINGLE COLOR SLEEVE	200mm/8	6	60	297
70-482	COMBINATION PLIER, DOUBLE COLOR SLEEVE	200mm/8	6	60	322

NEW

PLIERS - LONG NOSE PLIER



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
70-462	LONG NOSE PLIER, SINGLE COLOR SLEEVE	150mm/6	6	96	262
70-483	LONG NOSE PLIER, DOUBLE COLOR SLEEVE	150mm/6	6	96	299
71-879	LONG NOSE PLIER, SINGLE COLOR SLEEVE	180mm/7	6	72	267
71-880	LONG NOSE PLIER, SINGLE COLOR SLEEVE	200mm/8	6	60	302

NEW

PLIERS - DIAGONAL CUTTING PLIER



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
71-881	DIAGONAL CUTTING PLIER, SINGLE COLOR SLEEVE	150mm/6	6	96	271
71-882	DIAGONAL CUTTING PLIER, SINGLE COLOR SLEEVE	180mm/7	6	72	287

NEW

PLIERS - CIRCLIP PLIER CURVED CLAMP (BENT INTERNAL)



Overall Cr-v Forging Steel derived, Durable
In strict accordance with the DIN5254 standards of production
The first clamp Fine polishing and processing blackening, good looking

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
84-446-23	PLIER CIRCLIP, BENT INTERNAL	125mm/5	6	36	280
84-447-23	PLIER CIRCLIP, BENT INTERNAL	180mm/7	6	36	374
84-448-23	PLIER CIRCLIP, BENT INTERNAL	225mm/9	6	36	464

PLIERS - CIRCLIP PLIER STRAIGHT JAW (EXTERNAL)



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
84-332-23	PLIER CIRCLIP, STRAIGHT EXTERNAL	125mm/5	6	36	280
84-334-23	PLIER CIRCLIP, STRAIGHT EXTERNAL	180mm/7	6	36	367
84-335-23	PLIER CIRCLIP, STRAIGHT EXTERNAL	225mm/9	6	36	464

PLIERS - VDE DIAGONAL CUTTING PLIER



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
84-003-22	VDE DIAGONAL CUTTING PLIER	180mm / 7	4	24	1,609

PLIERS - LINESMAN PLIER



Forged Steel construction
 Double dipped handles for comfortable use
 Hand ground cutting edges
 Machined jaws for gripping
 Rust-resistant finish
 Chrome-Nickel steel for tough durable hardened cutting edge

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
84-112-23	PLIER LINESMAN	180mm/7	6	36	355
84-113-23	PLIER LINESMAN	200mm/8	6	36	399

PLIERS - DIAGONAL CUTTING PLIER



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
84-104-23	PLIER DIAGONAL CUTTING	125mm/5	6	36	253
84-105-23	PLIER DIAGONAL CUTTING	150mm/6	6	36	274
84-108-23	PLIER DIAGONAL CUTTING	177mm/7	6	36	309

PLIERS- LONG NOSE PLIER



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
84-100-23	PLIER LONG NOSE	125mm/5	6	36	253
84-101-23	PLIER LONG NOSE	150mm/6	6	36	274
84-102-23	PLIER LONG NOSE	200mm/8	6	36	332

PLIERS- SLIP JOINT PLIER



2 Jaw position

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
84-097-23	PLIER-SLIP JOINT	150mm/6	6	36	190
84-098-23	PLIER-SLIP JOINT	200mm/8	6	36	223

PLIERS - GROOVE JOINT PLIER



Multiple Jaw positions

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
84-110-23	PLIER GROOVE JOINT	250mm/10	6	36	391
84-111-23	PLIER GROOVE JOINT	300mm/12	4	24	496

PLIERS- CIRCLIP PLIER CURVED JAW (BENT EXTERNAL)



Overall Cr-V forging steel derived, durable
In strict accordance with the DIN5254 standards of production
The first clamp fine & processing good looking

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
84-338-23	PLIER CIRCLIP, BENT EXTERNAL	125mm/5	6	36	280
84-341-23	PLIER CIRCLIP, BENT EXTERNAL	180mm/7	6	36	367
84-348-23	PLIER CIRCLIP, BENT EXTERNAL	225mm/9	6	36	464

PLIERS - GERMAN HOLE CORE-CATCHER STRAIGHT BEAK CLAMP (INTERNAL)



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
84-362-23	PLIER CIRCLIP, STRAIGHT INTERNAL	125mm/5	6	36	304
84-363-23	PLIER CIRCLIP, STRAIGHT INTERNAL	180mm/7	6	36	403
84-364-23	PLIER CIRCLIP, STRAIGHT INTERNAL	225mm/9	6	36	475

PLIERS- COMBINATION SNAP RING PLIERS



Internal-external positioning 45°-90°-180°
10-50mm range

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
84-168	PLIER COMB SNAP RING	152mm/6	1	20	591

PLIERS- CRIMPING PLIERS



Cuts electrical wires strips insulation shears screws & bolts clean
(Warning: Grips do not protect against electrical shock.)

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
84-223-22	CRIMPING PLIER	225mm/9	10	100	240
84-253-22	CRIMPING PLIER SET	225mm/9	6	36	508

PLIERS- LOCKING PLIERS WITH BI-MATERIAL HANDLE



84-369-1-23 84-371-1-23 84-389-23

Bi-material handle for anti-slip & comfort
Serrated jaws made of Cr-Mo material
Heat treated adjustable screw
Long straight nose provides easy access in narrow, hard to reach places
Ideal for precision work
Curved jaws puts tremendous pressure on four points at any style or bolt head
Straight jaws provides maximum contact on flat, square & hex work - ideal for welding & other metal work

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
84-369-1-23	BI-MATERIAL HANDLE, CURVED JAW	250mm/10	6	36	735
84-371-1-23	BI-MATERIAL HANDLE, STRAIGHT JAW	250mm/10	6	36	735
84-389-23	BI-MATERIAL HANDLE, LONG NOSE	225mm/9	6	36	664

PLIERS- WIRE STRIPPERS WITH CUTTING EDGE



Professional peeling ideal tool for cutting the line
Used for line supressing & lne bending function
Laser calibration & facilitate operations

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
84-475-22	WIRE STRIPPER(CUTTER)-AWG12-22	150mm/6	10	100	731

CUTTING TOOLS



Knife & Blade Safety

Use Safety goggles. Serious eye injury is possible
Always be sure that blades are properly seated in knives and that knives are properly closed and/or fastened
Never leave a knife unattended with the blade exposed
Always use sharp blades. A dull blade requires more force and is more likely to slip than a sharp one. Change the blades whenever it starts to tear instead of cut
Always keep your free hand away from the line of cut
When making cuts on a surface below you, stand or kneel to one side of the line to cut
Always pull the knife toward you when making a cut on a flat surface. a pulling motion is stronger and more positive than pushing the knife away from you, and the knife is less likely to slip
When using a straight edge to guide a cut, either clamp it down or keep your free hand well away from the cutting path of the knife. be sure the straight edge is thick enough to prevent the knife from " riding up " over the edge and cutting you
Do not bend or apply side loads to blades by using them to open cans or pry loose object. ✘
Blades are brittle and can easily snap
When using a knife to cut through thick materials, be patient-make several passes, cutting a little deeper into the material with each pass

Snip Safety

Use Safety goggles. Serious eye injury is possible
Be careful of the sharp edges on the cutting edges of these tools
Wear gloves when working with snips
Use snips for cutting soft metal only. Hard or hardened metal may damage the cutting edges of the snips
Use the right size and type of snips for the job at hand. do not try to cut sharp curves with straight cut snips
Use only hand pressure for cutting. Never hammer or use foot to get extra pressure on the cutting edges
Oil pivot bolt on the snips occasionally
Do not use snips as a hammer, screwdriver, or pry bar



CUTTING TOOLS - InterLock® SELF RETRACTING UTILITY KNIFE



Special round nose
Heavy duty blade

With special round nose heavy duty blade for ultimate safety
Blade automatically retracts for safe storage
Imported new pattern double colour plastic, Aesthetic Impact
Lock button using the metal material nickel plating accomplished, Durable, strong Lock

Part No.	Description	Size	Colour	Pri. Box Qty	Sec. Box Qty	₹(Each)
10-189	SELF RETRACTABLE UTILITY KNIFE	144mm / 5 5/8	ORANGE/RED	6	36	342

CUTTING TOOLS - Classic99® RETRACTABLE UTILITY KNIFE



Die cast zinc body shaped for comfort in use
Multi position blade slide
3pcs blade storage in handle
Interlock nose firmly secures blade into knife Lock

Part No.	Description	Size	Colour	Pri. Box Qty	Sec. Box Qty	₹(Each)
10-099	CLASSIC 99 RETRACTABLE UTILITY KNIFE	152mm/6	GREY	6	36	329

CUTTING TOOLS - RETRACTABLE UTILITY KNIFE



Pastic & Die cast zinc body shaped for comfort in use
Multi position blade slide
3 Pcs. Blade Storage Handle

Part No.	Description	Size	Colour	Pri. Box Qty	Sec. Box Qty	₹(Each)
10-175	RETRACTABLE UTILITY KNIFE	156mm/6	GREY	6	36	170

CUTTING TOOLS - Classic 1992® HEAVY DUTY UTILITY BLADE



Heavy duty blade, ideal for carpet & vinyl
Replacement Blade for 10-099, 10-175, 10-189

Part No.	Description	Size	Pack Details	# Blades	Pri. Box Qty	Sec. Box Qty	₹(Each)
11-921H	HEAVY DUTY UTILITY BLADE	19MM / 3/4	10 DISPENSERS OF 10 PCS	100	1	24	1,324

CUTTING TOOLS - Quick-Point™ BLADE



Replacement blade for 10-425

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
0-11-325	QUICK-POINT BLADE	26mm/1.024	10	100	404

CUTTING TOOLS - LARGE HOOK BLADE



Sharpened hook with point for penetrating & cutting sheet material
Replacement blade for 10-099, 10-175, 10-189

Part No.	Description	Size	# Blade	Pri. Box Qty	Sec. Box Qty	₹(Each)
0-11-983	LARGE HOOK BLADE	19mm / 3/4	5	1	10	102
1-11-983	LARGE HOOK BLADE	19mm / 3/4	100	4	24	1053

CUTTING TOOLS- 9mm & 18mm KNIFE WITH DynaGrip®



Metal & high impact polymer construction for durability
Blade sections snap-off providing the user with fresh sharp cutting points
Removable blade snapper included in cap of knife
High impact polymer body contains elastomer for great grip & comfort
Rigid stainless steel barrel provides smooth action and corrosion resistance
Pocket clip included on 10-409 9mm Dynagrip® Snap off knife
Supplied with one Quick-Point™ blade

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
10-409	DynaGrip® SNAP-OFF BLADE KNIFE BLADE	9mm	12	72	201
10-418	DynaGrip® SNAP-OFF BLADE KNIFE BLADE	18mm	6	36	208

CUTTING TOOLS- 25MM SNAP-OFF KNIFE WITH DynaGrip®



Thumb dial release for easy blade change
25mm / 1 snap-off blades to help resist snapping & adds durability
8 segments with 8 sharp tips
Rubber DynaGrip® panels for secure comfortable grip
Metal blade slide for positive blade positioning

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
10-425	DynaGrip® SNAP-OFF KNIFE	180mm/7	6	72	415

CUTTING TOOLS- Quick-Point® KNIFE



Impact resistant ABS plastic body
Secure multi position slide button

Part No.	Description	Size	Blade Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
0-10-150	Quick-Point® KNIFE	130mm / 5 1/8	9mm	12	72	46
0-10-151	SNAP-OFF KNIFE	160mm / 6 1/2	18mm	12	72	67

CUTTING TOOLS- Quick-Point® BLADE



Replacement blade for 10-418, 0-10-151 and other 18mm snap-off knives
Blade with 8 cutting points.

Part No.	Description	Size	Blade Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
11-301H	KNIFE BLADE 10 DISP(100PC)	110mm	18mm	1	27	1,300
11-301T	KNIFE BLADES 10PCS/DISP	110mm	18mm	1	24	155

CUTTING TOOLS- Quick-Point® BLADE



Replacement blade for 10-409, 0-10-150 and other 9mm snap-off knives
Blade with 13 cutting points

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
11-300H	KNIFE BLADES 10 DISP-100PC	9mm Length 85mm	1	48	1041
11-300T	KNIFE BLADES 10PCS/DISP	9mm Length 85mm	1	48	119

CUTTING TOOLS- KNIFE & BLADE SELECTION GUIDE

STANLEY	11-921	11-983	11-300 9mm	11-301 18mm	11-325 25mm
	Classic 99 10-099-2	●	●		
Home Owner's 10-175	●	●			
Interlock 10-189	●	●			
DynaGrip 10-409			●		
DynaGrip 10-418				●	
DynaGrip 10-425					●
Quick-Point 10-150			●		
Quick-Point 10-151				●	

CUTTING TOOLS- JUNIOR HACKSAW



Quick release hacksaw features a lever moulded into grip handle for easy blade change
Deep throat for good work capacity
1 Blade free

Part No.	Description	Blade Length	Pri. Box Qty	Sec. Box Qty	₹(Each)
0-15-218	JUNIOR HACKSAW	150mm / 6	10	60	357

CUTTING TOOLS- STEEL FRAME HACKSAW



Positive locking mechanism
Two blade position 90° / 55°
Aluminium handle - 12" blades

Part No.	Description	Blade Length	Pri. Box Qty	Sec. Box Qty	₹(Each)
15-166	STEEL FRAME HACKSAW	305mm / 12	6	36	1,135

CUTTING TOOLS - RUBBER GRIP HACKSAW



Rigid steel frame with molded cushion grip rubber handle
D-shape guard protects hand and knuckles
Adjustable frame

Part No.	Description	Depth of Throat	Blade Length	Pri. Box Qty	Sec. Box Qty	₹ (Each)
15-265-23	RUBBER GRIP HACKSAW	98mm / 3 7/8	254mm/10	6		757

CUTTING TOOLS - HIGH SPEED STEEL HACKSAW BLADES



Teeth are precision milled & set
Entire blade hardened to 65RC
Cuts mild steel, cast iron, aluminium, copper
Packed 100 per box

Part No.	Description	Depth of Throat	Width/Teeth	Pri. Box Qty	Sec. Box Qty	₹ (Each)
15-988	HACKSAW BLADES	305mm / 12	1/2 x 0.025, 18T	1		11017

CUTTING TOOLS - MINI HACK™ SAW



Ergonomically designed grip with thumb rest for maximum comfort
35mm cutting capacity
Back blade stop for safe handling & use

Part No.	Description	Depth of Throat	Blade Length	Pri. Box Qty	Sec. Box Qty	₹ (Each)
20-807	MINI HACKSAW	220mm / 8 3/4	254mm/10	6	36	151

CUTTING TOOLS- GLASS CUTTER



Die cast handle has a wide contoured comfort grip and ball end for tapping
Steel wheel with general purpose cutting angle delivers precise scoring clean breakout, and smooth edges
3 Break-off notches for various depths
Honed Cutting wheel
Cuts glass up to 3mm

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
14-125	GLASS CUTTER, OVERALL LENGTH	130mm 5 1/8	24	288	161

CUTTING TOOLS- WIRE STRIPPER



Convenient hole for looping or bending wire
Ideal for cutting, stripping speaker wire & appliance cords
Slide adjust for various gauge wire

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
84-214-22	WIRE STRIPPER	130mm 5 1/4	15	15	233

CUTTING TOOLS- PRUNING SHEARS



Blades of precision steel
Cuts up to 18mm / 3/4 thickness
Padded handle for comfort & reduced hand fatigue
Safety lock feature

Part No.	Description	Overall Length	Pri. Box Qty	Sec. Box Qty	₹ (Each)
14-302	PRUNING SHEARS, BYPASS	200mm / 8	10	60	473

MEASURING TAPES



CUTTING TOOLS- BOLT CUTTERS



A range of bolt cutters in most sizes
Cutter blades are of chrome molybdenum tempered steel with cutting jaws tempered HRC60° 4 (FBS std)
Special heat treatment give blades extra hardness & durability

Part No.	Description	Over all Length	Max Load	Max Cutting Capacity	Pri. Box Qty	Sec. Box Qty	₹(Each)
14-308-23	BOLT CUTTER	203mm/8	36kg	3mm	6	48	451
14-312-23	BOLT CUTTER	305mm/12	46kg	4mm	6	24	787
14-314-23	BOLT CUTTER	355mm/14	54kg	5mm	6	24	873
14-318-23	BOLT CUTTER	457mm/18	65kg	6mm	6	12	1,074
14-324-23	BOLT CUTTER	609mm/24	62kg	8mm	2	6	1,382
14-330-23	BOLT CUTTER	762mm/30	84kg	10mm	1	4	1,855
14-336-23	BOLT CUTTER	914mm/36	104kg	12mm	1	4	2,486

CUTTING TOOLS - MaxSteel™ ALL PURPOSE SNIPS (STRAIGHT PATTERN)



Exceeds ANSI standards for cutting performance & durability
Tough alloy steel blade
Comfortably vinyl grips
Cuts up to 0.78mm of cold roled steel & 0.46mm of stainless steel

Part No.	Description	Overall Length	Cutting Capacity			Pri. Box Qty	Sec. Box Qty	₹(Each)
			Copper(Soft)	Cold Rolled Steel(Mild)	Hard Steel			
14-556-22	MAXSTEEL SNIP	254mm-10	0.94	0.78	0.6	6	24	735

CUTTING TOOLS - MaxSteel™ AVIATION SNIPS



Excellent for cutting aluminium, vinyl siding, screening, cardboard, leather & copper
Exceeds ANSI standards for cutting performance & durability
Double overwind spring for longer life
High leverage, compound cutting design cuts up to 18 guage steel
Patented hinge palte for easy product function identification

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
14-562-22	MAXSTEEL AVIATION SNIPS, LEFT CURVE	254mm/10	6	24	811
14-563-22	MAXSTEEL AVIATION SNIPS, STRAIGHT CUT	254mm/10	6	24	811
14-564-22	MAXSTEEL AVIATION SNIPS, RIGHT CURVE	254mm/10	6	24	811

Part No.	Cutting Length	Copper (Soft)	Cold-rolled Steel (Mild)	Hard Steel (HRC30)	Hard Steel (HRC40)	Stainless Steel 304
14-562-22	35	1.50	1.20	1.00	0.60	0.90
14-563-22	35	1.50	1.20	1.00	0.60	0.90
14-564-22	38	1.50	1.20	1.00	0.60	0.90

CUTTING TOOLS - TINSNIPS



Drop forged carbonsteel material, hardened, tempered, grown, glazed & tested to last

Part No.	Description	Size	Cutting Capacity	Pri. Box Qty	Sec. Box Qty	₹(Each)
14-163	TINSNIPS W/O SPRING	200mm/8	0.61mm cold rolled steel 0.41mm Stainless Steel	6	36	774
14-164	TINSNIPS W/O SPRING	250mm/10	0.78mm cold rolled steel 0.41mm Stainless Steel	6	36	890
14-165	TINSNIPS W/O SPRING	300mm/12	0.91mm cold rolled steel 0.63mm Stainless Steel	6	24	1,209
14-166	TINSNIPS W/O SPRING	350mm/14	1.20mm cold rolled steel 0.70mm Stainless Steel	6	24	1,583

CUTTING TOOLS - CABLE CUTTER



Designed for electric cable, copper, aluminium, etc.
Notched jaw holds & cuts cables in a clean & sharp way
Cuts up to 0.78mm of cold roled steel & 0.46mm of stainless steel

Part No.	Description	Max Cutting Capacity(mm) ²	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
84-258-23	CABLE CUTTER	60	250mm/10	6	36	693
84-629-22	CABLE CUTTER	125	300mm/12	6	24	2,302
84-630-22	CABLE CUTTER	250	525mm/21	1	10	5,205
84-632-22	CABLE CUTTER	500	950mm/32	1	5	6,850

PIPE TOOLS



PIPE TOOLS - ALUMINIUM PIPE WRENCH



Cr-Mo steel forged jaws heat treated, hardness of HRC58-60
Super strength cast aluminium & alloy metal handle, reduce weight by 1/3
Two way tothing & spring loaded jaw provide positive grip

Part No.	Description	Max Jaw Opening	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
84-451-23	ALUMINIUM PIPE WRENCH	45mm	250mm/10	6	36	808
84-463-23	ALUMINIUM PIPE WRENCH	55mm	300mm/12	6	24	957
84-465-23	ALUMINIUM PIPE WRENCH	65mm	350mm/14	6	24	1,339
84-466-23	ALUMINIUM PIPE WRENCH	80mm	450mm/18	2	12	1,968
84-467-23	ALUMINIUM PIPE WRENCH	95mm	600mm/24	2	6	3,005

PIPE TOOLS - HEAVY DUTY PIPE WRENCH (CAST IRON)



Part No.	Description	Weight(kg)	O/a Length	Max Jaw Opening	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
87-620-23	PIPE WRENCH	0.225	140mm	25mm	150mm/6	6	72	292
87-621-23	PIPE WRENCH	0.38	186mm	34mm	200mm/8	6	36	342
87-622-23	PIPE WRENCH	0.81	248mm	45mm	250mm/10	6	24	429
87-623-23	PIPE WRENCH	1.41	297mm	55mm	300mm/12	6	12	584
87-624-23	PIPE WRENCH	1.4	332mm	65mm	350mm/14	6	12	768
87-625-23	PIPE WRENCH	2.38	414mm	80mm	450mm/18	2	8	1,110
87-626-23	PIPE WRENCH	3.83	553mm	95mm	600mm/24	1	4	1,765
87-627-23	PIPE WRENCH	7.88	805mm	140mm	900mm/36	1	2	3,342

PIPE TOOLS - STILSON TYPE PIPE WRENCH



Part No.	Description	Size	Max Jaw Opening	Pri. Box Qty	Sec. Box Qty	₹(Each)
71-641	PIPE WRENCH STILSON TYPE	250mm/10	45mm	6		299
71-642	PIPE WRENCH STILSON TYPE	300mm/12	55mm	6		391
71-643	PIPE WRENCH STILSON TYPE	350mm/14	65mm	4		502
71-644	PIPE WRENCH STILSON TYPE	450mm/18	80mm	4		784
71-645	PIPE WRENCH STILSON TYPE	600mm/24	95mm	2		1,471

PIPE TOOLS - WATER PUMP PLIER



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
71-668	WATER PUMP PLIER	180mm/ 7	10		326
71-669	WATER PUMP PLIER	250mm/10	10		353
71-670	WATER PUMP PLIER	300mm/12	4		594
71-671	WATER PUMP PLIER	400mm/16	2		1,500

PIPE TOOLS - PVC PIPE CUTTER



Heavy Duty PVC Pipe cutter
Stainless steel blades
Heat treated for durability

Part No.	Description	Cutting Capacity	Pri. Box Qty	Sec. Box Qty	₹(Each)
14-442-22	PVC PIPE CUTTER	42mm/ 1 5/8	10	40	919

PIPE TOOLS- TUBING CUTTER



Tubing cutters for cutting copper/plastic tubing

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
93-021-22	TUBING CUTTER	3-31mm / 1/8 - 1 1/4	10	60	1,135

PIPE TOOLS- CUTTING WHEELS-COPPER / STAINLESS STEEL



Tubing cutters for cutting copper/plastic tubing

Part No.	Description	No. of Pcs.	Pri. Box Qty	Sec. Box Qty	₹(Each)
93-019-0-22	CUTTING WHEEL FOR COPPER	2	25	250	151
96-250-1-22	CUTTING WHEEL FOR STAINLESS STEEL	2	25	250	461

PIPE TOOLS- FLARING TOOL



To flare ends of tubing from 3/16 to 3/4
Multiple hole 45° aluminium V-block with casted flaring yoke

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
93-040-22	FLARING TOOL	3/16 - 5/8	1	6	1,349
93-041-22	FLARING TOOL	5 - 16mm		6	

SCREWDRIVERS & KEYS

CR-V



Blackening oxide tips with magnetic anti-slip function



Triangular design handle tail for easy grips and greater torque

Drive Table

Slotted	Phillips®	Pozidriv®
Hexagonal	Torx®	Dodecagon
Robertson	Torx® (Tamper Proof)	Triangular

SCREWDRIVERS & KEYS- CUSHION GRIP2 SLOTTED SCREWDRIVERS



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
2-65-181	CUSHION GRIP STANDARD	3mm X 100mm	12	72	138
2-65-182	CUSHION GRIP STANDARD	3mm X 125mm	12	72	138
2-65-183	CUSHION GRIP STANDARD	3mm X 150mm	12	72	142
2-65-186	CUSHION GRIP STANDARD	5mm X 75mm	12	72	165
2-65-187	CUSHION GRIP STANDARD	5mm X 100mm	12	72	169
2-65-188	CUSHION GRIP STANDARD	5mm X 150mm	12	72	174
2-65-189	CUSHION GRIP STANDARD	5mm X 200mm	12	72	188
2-65-190	CUSHION GRIP STANDARD	6.5mm X 45mm	12	72	165
2-65-191	CUSHION GRIP STANDARD	6.5mm X 100mm	12	72	186
2-65-192	CUSHION GRIP STANDARD	6.5mm X 125mm	12	72	197
2-65-193	CUSHION GRIP STANDARD	6.5mm X 150mm	12	72	201
2-65-194	CUSHION GRIP STANDARD	6.5mm X 200mm	12	72	215
2-65-195	CUSHION GRIP STANDARD	6.5mm X 250mm	12	72	230
2-65-196	CUSHION GRIP STANDARD	8mm X 150mm	12	72	248
2-65-197	CUSHION GRIP STANDARD	8mm X 200mm	12	72	263
2-65-198	CUSHION GRIP STANDARD	8mm X 250mm	12	72	277

SCREWDRIVERS & KEYS- CUSHION GRIP2 Phillips® SCREWDRIVERS



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹ (Each)
2-65-157	CUSHION GRIP PHILLIPS®	#0 X 60mm	12	72	133
2-65-158	CUSHION GRIP PHILLIPS®	#0 X 100mm	12	72	133
2-65-159	CUSHION GRIP PHILLIPS®	#0 X 125mm	12	72	140
2-65-160	CUSHION GRIP PHILLIPS®	#0 X 150mm	12	72	140
2-65-162	CUSHION GRIP PHILLIPS®	#1 X 75mm	12	72	163
2-65-163	CUSHION GRIP PHILLIPS®	#1 X 100mm	12	72	165
2-65-164	CUSHION GRIP PHILLIPS®	#1 X 150mm	12	72	169
2-65-165	CUSHION GRIP PHILLIPS®	#1 X 200mm	12	72	178

SCREWDRIVERS & KEYS- CUSHION GRIP2 Phillips® SCREWDRIVERS



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
2-65-166	CUSHION GRIP PHILLIPS®	#2 x 45mm	12	72	161
2-65-167	CUSHION GRIP PHILLIPS®	#2 x 100mm	12	72	182
2-65-169	CUSHION GRIP PHILLIPS®	#2 x 150mm	12	72	191
2-65-170	CUSHION GRIP PHILLIPS®	#2 x 200mm	12	72	201
2-65-171	CUSHION GRIP PHILLIPS®	#2 x 250mm	12	72	220
2-65-172	CUSHION GRIP PHILLIPS®	#3 x 150mm	12	72	239
2-65-173	CUSHION GRIP PHILLIPS®	#3 x 200mm	12	72	253
2-65-174	CUSHION GRIP PHILLIPS®	#3 x 250mm	12	72	268

SCREWDRIVERS & KEYS- CUSHION GRIP2 Torx® SCREWDRIVERS



Part No.	Description	Size	↑ * mm	Pri. Box Qty	Sec. Box Qty	₹(Each)
2-65-144	TORX® SCREWDRIVERS	T5 x 80mm	1.37	12	72	98
2-65-145	TORX® SCREWDRIVERS	T6 x 80mm	1.65	12	72	98
2-65-146	TORX® SCREWDRIVERS	T7 x 80mm	1.97	12	72	106
2-65-147	TORX® SCREWDRIVERS	T8 x 80mm	2.30	12	72	106
2-65-148	TORX® SCREWDRIVERS	T10 x 80mm	2.72	12	72	106
2-65-149	TORX® SCREWDRIVERS	T15 x 80mm	3.26	12	72	130
2-65-150	TORX® SCREWDRIVERS	T20 x 120mm	3.26	12	72	131
2-65-151	TORX® SCREWDRIVERS	T25 x 120mm	4.40	12	72	160
2-65-152	TORX® SCREWDRIVERS	T27 x 120mm	4.96	12	72	151
2-65-153	TORX® SCREWDRIVERS	T30 x 120mm	5.49	12	72	151
2-65-154	TORX® SCREWDRIVERS	T40 x 120mm	6.60	12	72	181

SCREWDRIVERS & KEYS - SLOTTED SCREWDRIVERS



Improved ergonomic design for maximum grip & torque
 Chrome vanadium blade with tough hardened black oxide
 Nickel plated bar for corrosion resistance
 High quality, heat treated plated bars for lasting "pro" performance & rust resistance

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
62-241	SCREWDRIVER SLOTTED	3 x 50mm	10	150	36
62-242	SCREWDRIVER SLOTTED	3 x 75mm	10	150	40
62-243	SCREWDRIVER SLOTTED	3 x 100mm	10	150	44
62-244	SCREWDRIVER SLOTTED	3 x 150mm	10	150	44
62-245	SCREWDRIVER SLOTTED	4 x 75mm	10	150	51
62-246	SCREWDRIVER SLOTTED	4 x 150mm	10	150	58
62-247	SCREWDRIVER SLOTTED	6 x 100mm	10	150	68
62-248	SCREWDRIVER SLOTTED	6 x 150mm	10	150	72
62-249	SCREWDRIVER SLOTTED	6 x 200mm	10	150	76
62-250	SCREWDRIVER SLOTTED	6 x 250mm	10	150	82
62-251	SCREWDRIVER SLOTTED	6 x 300mm	10	100	96
62-252	SCREWDRIVER SLOTTED	8 x 150mm	10	100	101
62-253	SCREWDRIVER SLOTTED	8 x 200mm	10	100	110
62-254	SCREWDRIVER SLOTTED	8 x 250mm	10	100	120
62-255	SCREWDRIVER SLOTTED	8 x 300mm	10	100	127

SCREWDRIVERS & KEYS - Phillips® SCREWDRIVERS



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
62-256	SCREWDRIVER PHILLIPS®	#0 x 50mm	10	150	38
62-257	SCREWDRIVER PHILLIPS®	#0 x 100mm	10	150	42
62-258	SCREWDRIVER PHILLIPS®	#0 x 150mm	10	150	50
62-259	SCREWDRIVER PHILLIPS®	#1 x 100mm	10	150	64
62-260	SCREWDRIVER PHILLIPS®	#1 x 150mm	10	150	67
62-261	SCREWDRIVER PHILLIPS®	#1 x 200mm	10	150	76
62-262	SCREWDRIVER PHILLIPS®	#2 x 100mm	10	150	93
62-263	SCREWDRIVER PHILLIPS®	#2 x 150mm	10	150	97
62-264	SCREWDRIVER PHILLIPS®	#2 x 200mm	10	150	100
62-265	SCREWDRIVER PHILLIPS®	#2 x 250mm	10	150	101
62-266	SCREWDRIVER PHILLIPS®	#2 x 300mm	10	100	108
62-267	SCREWDRIVER PHILLIPS®	#3 x 150mm	10	100	126
62-268	SCREWDRIVER PHILLIPS®	#3 x 200mm	10	100	131
62-269	SCREWDRIVER PHILLIPS®	#3 x 250mm	10	100	142
62-270	SCREWDRIVER PHILLIPS®	#3 x 300mm	10	100	149

SCREWDRIVERS & KEYS - CUSHION GRIP2 SCREWDRIVER SETS



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
2-65-200	2PC SET -CARDED	PHILLIPS® #2 X 100mm, SLOTTED 6.5 X 100mm	1	12	268
2-65-199	4PC SET -CARDED	PHILLIPS® #1 X 100mm, PHILLIPS® #2 X 150mm, STANDARD PARALLEL 5 X 100mm, SLOTTED 6.5 X 150mm	1	12	746
2-65-242	6PC SET -CARDED	PHILLIPS® #1 X 100mm, PHILLIPS® #2 X 150mm, STANDARD PARALLEL 5X100mm, STANDARD PARALLEL 5X150mm, SLOTTED 6.5 X 150mm, SLOTTED 5X100mm	1	12	832

SCREWDRIVERS & KEYS - 16 PCS. CUSHION GRIP SCREWDRIVER SET



Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹(Each)
68-0002C	16PCS CUSHION GRIP SCREWDRIVER SET	PHILLIPS®: #1x100mm, #2x100mm, #2x150mm SLOTTED: 5x100mm, 6.5x100mm, 6.5x150mm TORX®: T6x80mm, T8x80mm, T15x80mm, T20x120mm PHILLIPS® PRECISION SCREWDRIVER: #0, #1 SLOTTED PRECISION SCREWDRIVER: 1.4, 2, 2.4, 3, 4mm	1	10	2,554

SCREWDRIVERS & KEYS - VDE SCREWDRIVER 6PC SET WITH BONUS (TESTER)



Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹(Each)
65-980	VDE 6 PC SET WITH BONUS (TESTER)	SLOTTED 3x100mm, SLOTTED 4x100mm, SLOTTED 5.5x125mm, STANDARD PARALLEL 6.5x150mm, PHILLIPS® #1x80mm, PHILLIPS® #2x100mm	1	10	1,982

SCREWDRIVERS & KEYS - 2-IN-1 SCREWDRIVER



Part No.	Description	Size	Blade Length	Pri. Box Qty	Sec. Box Qty	₹(Each)
66-432	2-IN-1 SCREWDRIVER	PHILLIPS® #2, 6 x 0.8mm	28mm	12	240	95
66-433	2-IN-1 SCREWDRIVER	PHILLIPS® #0, 3.5 x 0.5mm	55mm	12	240	65
66-434	2-IN-1 SCREWDRIVER	PHILLIPS® #1, 5 x 0.8mm	75mm	12	240	83
66-435	2-IN-1 SCREWDRIVER	PHILLIPS® #00, 2.3 x 0.4mm	60mm	12	240	64
66-436	2-IN-1 SCREWDRIVER	PHILLIPS® #1, 3.5 x PHILLIPS®#0	200mm	12	240	100
66-437	2-IN-1 SCREWDRIVER	PHILLIPS® #2, 5.0 x PHILLIPS® #1	200mm	12	120	133
66-438	2-IN-1 SCREWDRIVER	PHILLIPS® #3, 6.0 x PHILLIPS® #2	200mm	12	72	187
66-439	2-IN-1 INSULATED SCREWDRIVER	PHILLIPS® #2, 6.0 x 0.8mm	250mm	12	120	122
66-446	2-IN-1 INSULATED SCREWDRIVER	PHILLIPS® #2, 6.0 x 0.7mm	100mm	12	120	98
66-447	2-IN-1 INSULATED SCREWDRIVER	PHILLIPS® #2, 6.0 x 0.8mm	140mm	12	120	96
66-448	2-IN-1 SCREWDRIVER	PHILLIPS® #3, 8.0 x 0.9mm	140mm	12	72	161
66-449	2-IN-1 SCREWDRIVER	PHILLIPS® #2, 6.0 x 0.8mm	200mm	12	120	102

SCREWDRIVERS & KEYS - 9 WAY SCREWDRIVER SET



9 tips for all access
Convenient & space saving
Ergonomically designed bi-material handle
Bar is chrome plated for rust resistance



Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹(Each)
62-511-22	SCREWDRIVER- 9 WAY	CUSHION GRIP RIVER SET, PHILLIPS® #0, #1, #2, STANDARD 1/8, 3/16, 1/4, 1 AWL, 1 TRACK PULLER, 1 HOOK DRIVER	6	24	649

SCREWDRIVERS & KEYS - 6 WAY SCREWDRIVER™



All in one screwdriver with 6 tips: #1 & #2 Phillips, 1/4" & 3/16" Slotted, 1/4" & 5/16" Nut driver
Convenient & space saving ideal for kitchen drawer or car-no need for extra screwdrivers
Ergonomically designed bi-material handle for superb comfort
Tri-lobe shape fits hand comfortably
Soft, diamond textured handle provides a firm grip for extra torque without strain
Bar is chrome plated for rust resistance
Attach wrench to bolster nut for additional leverage & torque
High quality bits for long life
Available in an attractive 24 piece merchandiser
Slip resistant rubber grip provides comfort

Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹(Each)
68-012	SCREWDRIVER 6 WAY, QUICK CHANGE	SLOTTED 1/4, 3/16 PHILLIPS® 1 Pt, 2PT NUT DRIVER 1/4, 5/6	6	24	323

SCREWDRIVERS & KEYS- CUSHION GRIP MULTI BITS 2 WAY



Bi-material handle for comfortable grip
Larger handle for greater torque
Chrome plated bar for rust resistant
Magnetized Tips

Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹(Each)
65-201	SCREWDRIVER MULTI BITS 2 WAY	SLOTTED 6x100mm, PHILLIPS® #2x100mm	6	72	366

SCREWDRIVERS & KEYS - 10PC MULTI-BIT RATCHETING SCREWDRIVER



Bit storage system for easy visibility, access & security
Magnetic bit holder for quick, secure change-over of bits
Top quality, three position audible ratcheting mechanism forward, reverse
Supplied with 10 bits to suit a wide variety of purpose
Overall 254mm/10




3 Way Audible Ratchet



Patented Bit Storage

Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹ (Each)
68-010-22	MULTI BIT RATCHETING SCREWDRIVER	1 & 2 POINT PHILLIPS®/POZIDRIVE®/ROBERTSON, 5 & 6.5mm SLOTTED, T10 & T15 TORX®	6	36	698

SCREWDRIVERS & KEYS - 6PC PRECISION SCREWDRIVER SET



66-052

66-039

Attractive bi-material handles designed for easy & comfortable grip
Chrome vanadium steel bars in black oxide finished with hardened tips-HRC 53
Comes in 6 popular sizes

Part No.	Description	Pri. Box Qty	Sec. Box Qty	₹ (Each)
66-039	0 & 1 POINT PHILLIPS®, 1.4, 2, 2.4, 3mm SLOTTED STEEL	12	72	228
66-052	0 & 1 POINT PHILLIPS®, 1.4, 2, 2.4, 3mm SLOTTED BI-MATERIAL HANDLE	6	72	273

SCREWDRIVERS & KEYS - SCREWDRIVER INSERT BIT SET



68-071-23

68-075-23

Made from chrome-vanadium steel
Recommended for manual applications multi-bit screwdrivers

Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹ (Each)
68-075-23	SCREWDRIVER	PHILLIPS® #1, #2, #3, POZIDRIVE® PZ0, PZ1, PZ1, PZ2, PZ2, PZ3, S0, S1, S1, S2, S2, S3 SLOTTED 1/8, 3/16, 1/4, 7/32	6	36	310
	36PCS SET:	TORX® T10, T15, T20, T25, T27, T30 HEX 1/16, 1/8, 5/32, 3/16, 7/32, 1/4			
68-071-23	SCREWDRIVER	PHILLIPS® #1, #2, #3 POZIDRIVE® PZ1, PZ2, PZ3, S2	6	48	317
	29PCS SET:	SLOTTED 6/8, 8/10, 10/12 TORX® T5, T20, T25, T30 HEX 3/32, 1/8, 5/32, S1, S2, S3 NUTDRIVER: 3/16, 1/4, 5/16, 11/32, 3/8, Bit Hold			

SCREWDRIVERS & KEYS - MULTI TESTER



Direct detection 12V-220V AC/Dc live objects
Dispense with battery, economic benefits
Rapid induction voltage testing & LED display
CE certification by the EC

Part No.	Description	Measuring Range	Pri. Box Qty	Sec. Box Qty	₹ (Each)
66-137	DIGITAL DETECTION SCREWDRIVER	12V-220V	12	240	124

SCREWDRIVERS & KEYS- SPARK DETECTING SCREWDRIVER



Test range of 100-500V
Pocket size model c/w clip
Attractive PP card packaging



Part No.	Description	O/A Len	Tip Width	Pri. Box Qty	Sec. Box Qty	₹ (Each)
66-120	SPARK TESTING SCREWDRIVER	178mm/ 7 1/2	5mm	20	480	65

SCREWDRIVERS & KEYS- SPARK DETECTING SCREWDRIVER




NEW


Designed for optimum Industrial/Domestic uses
AS transparent material handle for better visibility for lighting
Ergonomic Design - Hexagonal shape handle provides better grip
Better Cap Design - Shape of plastic ensure the position of the clip
Durable Clip - Tilted Angle, help user easily hang clip on the pocket
Indication for Isolation - Gives user warning for safety
Test range of 100-500V

Part No.	Description	O/A Len	Tip Width	Pri. Box Qty	Sec. Box Qty	₹ (Each)
STHT72991-8B	Linesman Tester - DIY, Bulk Box	127mm	3.5mm	20	200	56
STHT72991-8	Linesman Tester - DIY, Paper Card	127mm	3.5mm	20	200	60
STHT72992-8B	Linesman Tester - PRO, Bulk Box	133mm	3.5mm	20	200	64
STHT72992-8	Linesman Tester - PRO, Paper Card	133mm	3.5mm	20	200	67

S2 HEX KEY SERIES



Made from S2 High alloy steel.
Hardness HRC60+2, torque is 20% higher than Cr-V steel
Fine Satin Nickel Finish



SCREWDRIVERS & KEYS- KEY SETS



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
69-119-22	HEX KEY SET, 9PCS, METRIC, CHROME, BALL TIP	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	6	36	1,370
69-213-22	HEX KEY SET, RING, 10PCS, METRIC	1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm	12	72	207
69-230-22	HEX KEY SET, RING, 10PCS, IMPERIAL	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8	12	72	210
69-251-22	HEX KEY SET, 8PCS, METRIC, S/ARM	1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm	12	72	185
69-253-22	HEX KEY SET, 10PC METRIC, S/ARM	1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm	12	72	256
69-254-22	HEX KEY SET, 10PCS, IMPERIAL, S/ARM	1/6, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8	12	72	247
69-256-22	HEX KEY SET, 9PCS, METRIC, L/ARM BALL	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm Ball Tips	6	36	656
69-257-22	HEX KEY SET, 12PCS, IMPERIAL, L/ARM	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 Ball Tips	6	36	736
69-259-22	HEX KEY SET, 9PCS, IMPERIAL, FOLDING	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4	12	72	376
69-260-22	HEX KEY SET, 5PCS, IMPERIAL, FOLDING	3/16, 7/32, 1/4, 5/16, 3/8	12	48	543
69-261-22	HEX KEY SET, 7PCS, METRIC, FOLDING	1.5, 2, 2.5, 3, 4, 5, 6mm	12	72	295
69-262-22	HEX KEY SET, 7PCS, METRIC, FOLDING	2.5, 3, 4, 5, 6, 8, 10mm	12	48	453
69-263-22	HEX KEY SET, 8PCS, TORX, FOLDING	T9, T10, T15, T20, T25, T27, T30, T40	12	72	610

SCREWDRIVERS & KEYS - 12 PC IMPERIAL BALL END HEX KEY SET - LONG



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
94-163-23	12PCS. LONG BALL END HEX KEY	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8	6	48	1,111

SCREWDRIVERS & KEYS - 12 PC IMPERIAL HEX KEY SET - EXTRA LONG



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
94-161	12PCS. EXTRA LONG IMPERIAL HEX KEY	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8	6	48	1,075

SCREWDRIVERS & KEYS - 9 PC METRIC BALL END HEX KEY SET - EXTRA LONG



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
94-158	9PCS. EXTRA LONG BALL END HEX KEY SET	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	6	48	1,092

SCREWDRIVERS & KEYS - 9 PC METRIC BALL END HEX KEY SET - LONG



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
94-162	9PCS. LONG HEX KEY SET	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	6	48	897

SCREWDRIVERS & KEYS - 9 PC Torx® KEY SET



Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹(Each)
92-625	9PCS. TORX® KEY SET	T10, T15, T20, T25, T27, T30, T40, T45, T50	6	48	1,286

SCREWDRIVERS & KEYS - 8 PC TAMPER PROOF Torx® KEY SET



Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹(Each)
92-624	8PCS. TAMPER PROOF Torx® KEY SET	T6, T7, T8, T9, T10, T15, T20, T25	12	72	897

SCREWDRIVERS & KEYS- METRIC BALL END HEX KEY - EXTRA LONG



Part No.	Description	Size	Increased Length	Short Length Dia.	Pri. Box Qty	Sec. Box Qty	₹(Each)
94-080-23	BALL END HEX KEY	2mm	99mm	15mm	72	864	70
94-081-23	BALL END HEX KEY	2.5mm	111mm	17mm	72	864	78
94-088-23	BALL END HEX KEY	10mm	223mm	39mm	36	72	268

SCREWDRIVERS & KEYS- METRIC BALL END HEX KEY - LONG



Part No.	Description	Size	Increased Length	Short Length Dia.	Pri. Box Qty	Sec. Box Qty	₹(Each)
94-102-23	BALL END HEX KEY	3mm	98.5mm	19mm	72	864	70
94-103-23	BALL END HEX KEY	4mm	104mm	24mm	72	432	88
94-104-23	BALL END HEX KEY	5mm	116mm	27mm	72	432	105
94-106-23	BALL END HEX KEY	6mm	138mm	31mm	72	432	136
94-108-23	BALL END HEX KEY	8mm	158mm	35mm	72	288	174

SCREWDRIVERS & KEYS - METRIC HEX KEY - LONG



Part No.	Description	Size	Increased Length	Pri. Box Qty	Sec. Box Qty	₹(Each)
94-149	LONG HEX KEY	12mm	209mm	18	72	241
94-150	LONG HEX KEY	14mm	233mm	12	48	358
94-151	LONG HEX KEY	16mm	240mm	12	48	476
94-152	LONG HEX KEY	17mm	246mm	6	24	549
94-153	LONG HEX KEY	18mm	261mm	6	24	704
94-154-23	LONG HEX KEY	19mm	276mm	6	24	773
94-155	LONG HEX KEY	22mm	330mm	1	12	1,574
94-156	LONG HEX KEY	24mm	370mm	1	12	2,023
94-157	LONG HEX KEY	27mm	410mm	1	6	2,839

FASTENING TOOLS



FASTENING TOOLS- MaxSteel™ C Clamps



High-visibility, corrosion-resistant finish
Advanced frame design resists flexing & bending
Heavy-duty malleable iron & steel construction
Roll-formed screw threads ensure smooth operation & durability
Oversized "T" handle for extra torque

Part No.	Description	Size		Pri. Box Qty	Sec. Box Qty	₹(Each)
83-031K	C CLAMP	25mm x 30mm	1 x 1 3/16	30		131
83-032K	C CLAMP	50mm x 33mm	2 x 1 5/16	20		186
83-033K	C CLAMP	75mm x 57mm	3 x 2 1/4	12		341
83-034K	C CLAMP	100mm x 75mm	4 x 3	12		492
83-035K	C CLAMP	150mm x 89mm	6 x 3 1/2	8		786

FASTENING TOOLS- SOLDERING IRON



Suitable for soldering light gauge wires, thin metals and hobby work
Reaches working temperature in 12 seconds
Comes with 2 soldering tips

Part No.	Description	Power	Pin Head	Pri. Box Qty	Sec. Box Qty	₹(Each)
69-031B	SOLDERING IRON	30W/220V	ROUND PIN	1	20	457

FASTENING TOOLS- RIVETERS



69-799 body is nickel plated
Versatile tool for joining sheet metal, fabrication, leather, plastic parts etc
Spring loaded handle ejects rivets stem
All steel body with non-slip grip & wrench for changing nosepieces

Part No.	Description	Rivet Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
69-646-22	RIVETER MEDIUM DUTY, C/W 3 NOSE PIECES	1/8, 5/32, 3/16	5	30	852
69-799-22	RIVETER-HEAVY DUTY, C/W 4 NOSE PIECES	3/32, 1/8, 5/32, 3/16	6	24	1,135

FASTENING TOOLS- GluePro™ TRIGGER FEED HOT MELT™ GLUE GUN





Quality engineered for reliable performance
Trigger-feed mechanism controls glue flow
Heats up quickly & bonds within 60 Seconds
Uses standard hot melt glue sticks
Fold-out stand for safe handy storage while in use
Round Pin

Part No.	Description	Power	Glue Stick	Pri. Box Qty	Sec. Box Qty	₹(Each)
69-GR20B	HOT MELT GLUE GUN	100-240V/40W	GS20DT / 25DT / Gs260 / Gs500	6	24	689

MEASURING & LAYOUT TOOLS

FEATURES & BENEFITS

- Superior aluminium structure for increased durability
- Block vials for maximum accuracy & durability
- Level accuracy of 0.0005 in/in (0.5mm/M)
- Hang hole for easy storage
- Seamless one-piece extrusion for rugged use
- Milled working surface for improved accuracy
- Non-marring side bumpers for use against finished surfaces



MEASURING TOOLS & LAYOUTS- MEASURING TAPE



NEW

With Blister Packaging

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
STHT30436	GLOBAL POWER RETURN TAPE RULE, METRIC / IMPERIAL	3M X 12.7mm	6	36	265
STHT30439	GLOBAL POWER RETURN TAPE RULE, METRIC ONLY	3M X 12.7mm	6	36	265
STHT30437	GLOBAL POWER RETURN TAPE RULE, METRIC / IMPERIAL	5M X 19mm	6	36	402

MEASURING TOOLS & LAYOUTS- 318mm/ 12 MEASURING WHEEL



NEW

12" aluminium wheel counts up to 10,000 feet (1000m) with convenient push-button reset
2-section snap-lock handle with ergonomic handle
Built-in kickstand

Part No.	Description	Wheel Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
1-77-174	318mm MEASURING WHEEL	318mm / 12	1	6	3,884

MEASURING TOOLS & LAYOUTS - FatMax Xtreme 180° ADJUSTABLE TORPEDO LEVEL - MAGNETIC



Aluminium moulded ruler body durable
Durable vials high precision 0.0005in/in. (0.5mm/M)
180° rotary vials can be used in multi-angle
Self strap large vials increased visibility
The special channel ditch facilitate a smooth circular surface use
Fringe magnet can absorb metal surface work
Life long accuracy guarantee

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
43-609	Fatmax Xtreme TORPEDO LEVEL	225mm /9	6		2,259

MEASURING TOOLS & LAYOUTS - CONTRACTOR Grade™ ALUMINIUM TORPEDO LEVEL - MAGNETIC



Combines accuracy & light weight, ideal for all small installations
3 vials: Horizontal, plumb & 45°

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
42-465	MAGNETIC TORPEDO LEVEL	225mm/9	6		498

MEASURING TOOLS & LAYOUTS - PLASTIC TORPEDO LEVEL - MAGNETIC



High impact ABS plastic for durability
Handy & economical
3 vials: Horizontal plumb & 45°

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
42-264	MAGNETIC TORPEDO LEVEL	225mm / 9	6		279

MEASURING TOOLS & LAYOUTS - STANLEY CLASSIC BOX LEVELS



New shape box design
Block magnified central vial
Large tubular side vials
Vial Accuracy: 0,5mm/m
Benefits: Easier to read, More durable in case of shocks, More ergonomical, Easy to clean after use

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
STHT1-43118	SANLEY CALSSIC BOX LEVELS	300mm/12	10		619
STHT1-43103	SANLEY CALSSIC BOX LEVELS	600mm/24	10		871
STHT1-43105	SANLEY CALSSIC BOX LEVELS	1000mm/36	10		1,301
STHT1-43106	SANLEY CALSSIC BOX LEVELS	1200mm/48	10		1,657

MEASURING TOOLS & LAYOUTS - I-BEAM LEVELS - TOP BEAD



Durable lightweight aluminium construction suite to all purpose use
Pipe groove allows use on round objects
Top-read center vial designed for easy readability
Yellow vial for increased visibility and readability
Shock absorbing end caps hold up to heavy use
Hang hole simplifies storage
Replaceable 360° vials & cover
Comfortable hand holes on 24" & 48" levels for easy handling

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
42-072	LEVEL I-BEAM	305mm/12	10		404
42-074	LEVEL I-BEAM	610mm/24	5		852
42-075	LEVEL I-BEAM	915mm/36	5		1,324
42-076	LEVEL I-BEAM	1220mm/48	5		1,928

MEASURING TOOLS & LAYOUTS - Stanley® W/BBLUE CHALK LINE LEVEL



Kit contains 30m chalk line, 113g blue chalk
High impact ABS case for durability
Sliding door for quick & easy refill
Stainless steel end hook does not rust
1 oz Chalk Capacity
Can be used vertically as a plumb bob

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
47-443	STANLEY W/BBLUE CHALK AND LINE REEL	30m / 100	2	6	568

MEASURING TOOLS & LAYOUTS - Stanley® CHALK LINE REEL



On-board hook storage
High impact ABS case for durability
Sliding door for quick & easy refill
Stainless steel end hook for added durability & rust prevention
1oz. chalk capacity

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
47-440	STANLEY CHALK LINE REEL		6	24	385

MEASURING TOOLS & LAYOUTS - LINE LEVEL



Light weight aluminium construction
Special hook hold to line which allow easy positioning
Bottom is flat for surface level
360° vial

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
0-42-287	LINE LEVEL	79mm / 3 1/4	6	72	99

HAMMERS CHISELS & PUNCHES

HAMMERS

Stanley hammers offer a rim tempered striking surface to reduce the incidences of chipping or slapping

Compo Cast hammers offers a non-sparking, chemical resistant molded urethane covering with the headfilled with steel shot to eliminate bounce back for dead blow action.

DEMOLITION TOOLS

Chisels are forged, one-piece construction from chrome vanadium steel for increased strength and durability.

SAFETY TIPS

Use safety goggles. serious eye injury is possible

Check to see that the handle is tight before using.

Never use a hammer with a loose or damaged handle

Always use a hammer of suitable size and weight for the job.

Do not use a tack hammer to drive a spike, nor a sledge to drive a tack

Always discard a hammer when face shows excessive wear, mushrooming, chipping, or dents

Strike squarely to avoid glancing blows

Never strike one hammer with another



STRIKING TOOLS - CLAW HAMMER



Part No.	Description	Wt.	Pri. Box Qty	Sec. Box Qty	₹(Each)
51-152	CLAW HAMMER STEEL SHAFT	220gms / 8	6	48	271
51-158	CLAW HAMMER STEEL SHAFT	560gms / 20	6	24	468

STRIKING TOOLS - WOOD HANDLE NAIL HAMMER



Part No.	Description	Wt.	Pri. Box Qty	Sec. Box Qty	₹(Each)
51-159	WOOD HANDLE NAIL HAMMER	450gms / 16	6	24	391
51-185	WOOD HANDLE NAIL HAMMER	560gms / 20	6	24	433

STRIKING TOOLS - FIBREGLASS NAIL HAMMER



Part No.	Description	Wt.	Pri. Box Qty	Sec. Box Qty	₹(Each)
51-186	FIBREGLASS NAIL HAMMER	450gms / 16	6	24	433
51-187	FIBREGLASS NAIL HAMMER	560gms / 20	6	24	509

STRIKING TOOLS - CAMP AXE



Part No.	Description	Wt.	Pri. Box Qty	Sec. Box Qty	₹(Each)
54-105	CAMP AXE STEEL SHAFT	560gms / 20	6	24	575

STRIKING TOOLS - BALL PEIN HAMMER



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
54-106	BALL PEIN HAMMER	110gms / 4	6	96	206
54-107	BALL PEIN HAMMER	220gms / 8	6	48	281
54-111	BALL PEIN HAMMER	340gms / 12	6	36	337
54-114	BALL PEIN HAMMER	450gms / 16	6	24	436
54-115	BALL PEIN HAMMER	680gms / 24	4	16	562
54-118	BALL PEIN HAMMER	900gms / 32	4	8	664

STRIKING TOOLS - SOFT FACE HAMMER



Hammer body using high grade carbon steel forging result in high strength.
Hammer head assembled using polyester materials, Soft semitransparent, appropriate hardness will not be deformed, disintegrate.
Hammerhead be replaced, percussion-resistant, anti-oil, anti-skid, non-combustible.

Part No.	Description	Head Dia	Pri. Box Qty	Sec. Box Qty	₹(Each)
57-054	SOFT FACE HAMMER W/WOOD HANDLE	22mm	6	60	605
57-055	SOFT FACE HAMMER W/WOOD HANDLE	28mm	6	36	683
57-056-23	SOFT FACE HAMMER W/WOOD HANDLE	35mm	6	36	928
57-057	SOFT FACE HAMMER W/WOOD HANDLE	45mm	6	24	1,616

STRIKING TOOLS - Compo-Cast® STANDARD HEAD SOFT FACE HAMMERS



Non sparking soft face hammers
No exposed metal
Soft face doesn't mar surfaces or equipment
Steel reinforced handles provide added strength & safety resist breaking on overstrike



Part No.	Description	Weight	Face Dia.	Head Length	O/A Length	Pri. Box Qty	Sec. Box Qty	₹(Each)
57-530	COMPO CAST HAMMER	183gm / 7	30mm	79mm	257mm	1	4	1,885
57-531	COMPO CAST HAMMER	510gm / 18	40mm	95mm	286mm	1	4	2,224
57-532	COMPO CAST HAMMER	595gm / 21	45mm	103mm	327mm	1	4	2,377

STRIKING TOOLS- RUBBER MALLETS



For striking blows where steel hammers would mar or damage surface of

Part No.	Description	Weight	Head Length	Pri. Box Qty	Sec. Box Qty	₹(Each)
57-527	RUBBER MALLET HAMMER	450g	350mm	6	36	244
57-528	RUBBER MALLET HAMMER	680g	350mm	6	24	293

STRIKING TOOLS- SLEDGE HAMMER - HICKORY HANDLE



Part No.	Description	Weight	Pri. Box Qty	Sec. Box Qty	₹(Each)
95IB56400	SLEDGE HAMMER - HICKORY HANDLE	1.36kg / 3	4	16	746
95IB56401	SLEDGE HAMMER - HICKORY HANDLE	1.81kg / 4	4	8	936
95IB56608	SLEDGE HAMMER - HICKORY HANDLE	3.62kg / 8	4	4	2,106
95IB56612	SLEDGE HAMMER - HICKORY HANDLE	5.44kg / 12	2	2	2,902
95IB56614	SLEDGE HAMMER - HICKORY HANDLE	6.35kg / 14	2	2	3,216

STRIKING TOOLS - 6 PCS. WOOD CARVING SET



Handy carving knives in various cut ideal for DIY handicrafts

Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹(Each)
16-120	WOOD CARVING	1 Pc SQUARE CHISEL, 1 Pc SKEN CHISEL, 1 Pc CURVED GOUGE, 1 Pc STRAIGHT GOUGE, 1 Pc CURVED FLAT, 1 Pc CURVED U TOOL	12	72	679

STRIKING TOOLS - 3 PCS. WOOD CHISEL SET



Durable precision ground cutting edges
Blades uniformly hardened for full length use
Blades are also heat tempered & lacquer coated to prevent rust

Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹(Each)
16-089	WOOD CHISEL SET	1/2 x 7 3/4 , 3/4 x 7 3/4, 1 x 7 3/4	5	30	527

STRIKING TOOLS- 12 PCS. PUNCH & CHISEL KIT



Chisel body using CR-V alloy steel ?
Overall heat treatment
The head of hardness HRC53-60, the tail Tempered with hardness HRC32-44.
Surface sprayed with yellow paint, corrosion resistant.
Applicable situation : apply to fitter, mold manufacturing, machining and maintenance, and so on

Part No.	Description	Contents	Pri. Box Qty	Sec. Box Qty	₹(Each)
16-299	PUNCH & CHISEL KIT	STONE WORK CHISEL: 10,12,16mm, CYLINDRICAL CHARGE: 2,3,4,5,6,8mm CENTER CHISEL: 6, 8mm CIRCULAR CONE CHARGE: 2mm	3	12	1,365

STRIKING TOOLS- 3 PCS. COLD CHISEL KIT



Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
16-298	COLD CHISEL SET	STONE WORK SHEET : 10,12,16mm	3	24	441

STRIKING TOOLS- Stanley® COLD CHISELS



One piece construction forged from chrome vanadium steel for increased strength & durability
 Hardened quenched & tempered for long life & added safety
 Powder coat finish for increased visibility
 For cutting, shaping wrought iron, cast iron, steel, brass, bronze, copper, aluminium, bolts, nuts & rivets

Part No.	Description	Size		Pri. Box Qty	Sec. Box Qty	₹(Each)
16-288	COLD CHISEL	16mm x 171mm	5/8 x 6 3/4	3	24	182
16-289	COLD CHISEL	19mm x 175mm	3/4 x 6 7/8	3	24	236
16-290	COLD CHISEL	22mm x 203mm	7/8 x 8	3	24	357
16-291	COLD CHISEL	25mm x 305mm	1 x 12	3	24	492

STRIKING TOOLS- 6 PCS. PUNCH KIT



Accessible packaging enables customer to easily evaluate products in store

Part No.	Description	Contents	Length	Pri. Box Qty	Sec. Box Qty	₹(Each)
16-226	PIN PUNCH SET	1/16, 1/8, 5/32, 3/16, 1/4, 5/16	250mm/6	3	24	561

STRIKING TOOLS- STARTER PUNCH



Used for starting drill holes
 One-piece construction forged from tempered tool steel for strength
 Hardened & tempered for long life
 Powder coat finish for increased visibility

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
16-229	STARTER PUNCH	2.5mm-3/32 X 140mm-5 1/2	3	24	123

STRIKING TOOLS- PIN PUNCHES



One piece construction forged from tempered tool steel for strength
 Hardened & tempered for long life
 Powder coat finish for increased visibility

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
16-230	PIN PUNCH	1.6mm-1/16 X 152mm-6	3	24	107
16-231	PIN PUNCH	3.2mm-1/8 X 152mm-6	3	24	111
16-233	PIN PUNCH	5mm-3/16 X 152mm-6	3	24	111
16-234	PIN PUNCH	6mm-1/4 X 152mm-6	3	24	126
16-235	PIN PUNCH	8mm-5/16 X 152mm-6	3	24	123

STRIKING TOOLS- PRICK PUNCH



Used for marking metal
 One piece construction forged tempered tool steel for strength
 Hardened & tempered for long life
 Powder coat finish for increased visibility

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
16-236	PRICK PUNCH	10mm-3/8 X 140mm-5 1/2	3	24	122

STRIKING TOOLS- CENTER PUNCH



Used for marking metal or making indentations for starting drill holes
 One piece construction forged tempered tool steel for strength
 Hardened & tempered for long life

Part No.	Description	Size	Pri. Box Qty	Sec. Box Qty	₹(Each)
16-228	CENTER PUNCH	8mm-5/16 X 115mm-4 1/2	3	24	124

HYDRAULIC TOOLS




HYDRAULIC TOOLS- HYDRAULIC BOTTLE JACK



Lifting height range from 7-1/8" to 14-12" (181-370mm)
 Capacity range from 8000kg to 50000 kg (8 ton - 50 ton)
 Precise hydraulic assembly and piston for fine maximum adjustment
 Heavy-duty construction for extra strength and safety
 Safety bypass flow valve
 Adjustable screw top with lifting cap grooved for improved load gripping
 Meet CE Specifications
 Innovative design offers a quicker lift for professional performance in Automotive / General Industry application

Part No.	Description	Capacity	Lifting Height(mm)		N.W / G.W (kg)	Pri. Box Qty	Sec. Box Qty	₹(Each)
			Min.	Max.				
ST90801CE	BOTTLE JACK	8000kg/8	230	457	6.3 / 6.6	1	4	2,727
ST92001CE	BOTTLE JACK	20000kg/20	242	452	11.5 / 11.9	1	2	4,532
ST-93001CE	BOTTLE JACK	30000kg/30	285	465	21 / 21.7	1	1	11,619
ST-95001CE	BOTTLE JACK	50000kg/50	300	485	34	1	1	16,345

BRITTOOL EXPERT



Torque Measurement Conversion Chart

TO CONVERT FROM	TO CONVERT TO								
	mN.m	cN.m	N.m	daN.m	cm.kg	m.kg	in.oz	in.lb	ft.lb
	millinewton metre	centinewton metre	newton metre	decanewton metre	centimetre kg	metre kg	inch-ounce	inch-pound	foot-pound
1mN.m	1	0.1	0.001	0.0001	0.0102	0.000102	0.1418	0.00886	0.000738
1cN.m	10	1	0.01	0.001	0.102	0.0102	1.418	0.0886	0.00738
1N.m	1000	100	1	0.1	10.2	0.102	141.8	8.863	0.738
1daN.m	10000	1000	10	1	10.2	1.02	1418	88.63	7.38
1cm.kg	98	9.8	0.098	0.0098	1	0.01	13.9	0.869	0.0724
1m.kg	9810	981	9.81	0.98	100	1	1390	86.90	7.24
1in.oz	7.05	0.705	0.00705	0.0007	0.072	0.0072	1	0.063	0.0052
1in.lb	112.8	11.28	0.1128	0.01128	1.152	0.1115	16	1	0.083
1ft.lb	1350	135	1.35	0.135	13.8	0.138	192	12	1

TORQUE WRENCHES- 3/8" CLASSIC



Part No.	Description	Torque Range	Length	Pri. Box Qty	Sec. Box Qty	₹ (Each)
AVT100A	3/8 Sq. Dr. Torque Wrench	2.5-11nm	318mm	1	8	10,137
AVT300A	3/8 Sq. Dr. Torque Wrench	5-33nm	422mm	1	4	10,296
AVT600	3/8 Sq. Dr. Torque Wrench	12-68nm	476mm	1		10,781

TORQUE WRENCHES- 1/2" CLASSIC



Part No.	Description	Torque Range	Length	Pri. Box Qty	Sec. Box Qty	₹ (Each)
EVT600A	1/2 Sq. Dr. Torque Wrench	12-68nm	476mm	1	4	10,781
EVT1200A	1/2 Sq. Dr. Torque Wrench	25-135nm	546mm	1	2	11,449
EVT2000A	1/2 Sq. Dr. Torque Wrench	50-225nm	597mm	1	2	11,944
EVT3000A	1/2 Sq. Dr. Torque Wrench	70-330nm	825mm	1	4	13,570

TORQUE WRENCHES- 3/4" & 1" CLASSIC



Part No.	Description	Torque Range	Length	Pri. Box Qty	Sec. Box Qty	₹ (Each)
HVT5000	3/4 SQ. DR. TORQUE WRENCH	140-560nm	1130mm	1		33,006
HVT7200	3/4 SQ. DR. TORQUE WRENCH	200-810nm	1181mm	1		33,731
GVT8400	1 SQ. DR. TORQUE WRENCH	480-940nm	1397mm	1		52,486

TORQUE WRENCHES- 3/8" & 1/2" RATCHETING TYPE



Strong Ratchet Mechanism - 5° minimum working arc
Window Scale, Slim head with Aluminium handle
Positive lock - preventing accidental adjustment whilst in use
Exceeds the requirements of ISO 6789

Part No.	Description	Torque Range	Length	Pri. Box Qty	Sec. Box Qty	₹ (Each)
A50T	3/8 Sq. Dr. Torque Wrench	10-50nm	335mm	1		7,421
E200T	1/2 Sq. Dr. Torque Wrench	40-210nm	510mm	1	10	8,134
E340T	1/2 Sq. Dr. Torque Wrench	60-340nm	625mm	1		8,906

NEW



TORQUE CONTROL GUIDE



Tightening torque and tensile load

- Application of the correct force (tensile load) is essential for a reliable assembly :
 - under-tight fasteners can work loose.
 - over-tight fasteners may distort components to be connected or shear the fastener.
- Tensile load depends on tightening torque applied to the fastener and the friction coefficient.

Tensile load (Fo)

The force in Newtons (N) which maintains pressure contact between assembled components.

Tightening torque (Cs)

The product of a force and the leverage length at which it is applied : Torque (N.m) = Force (in Newtons) x length (in metres).

Tightening torque table :

Torque values are given for 85 % fastener yield strength (documentation E 25-030).

1. Friction coefficient

Choose the appropriate table according to type of fasteners used (0.10, 0.15, or 0.20).

Example : $m = 0.10$.

2. Fastener grade


The grade of a fastener denotes its quality (best is 12.9).

Check the appropriate column for the fasteners used.

Example : fastener dia. 10, fastener grade 8.8

3. Tightening torque (Cs).

Torque values are listed in Newton-metres (Nm) for each type of fastener. In the example given, the fastener would be tightened to a torque of 36 Nm.



CONVERSION TABLE

The Internationally accepted unit is the Newton-meter (Nm)

1. To convert Nm

- Newton-metres to Kilogramme-force metres : 1 Nm = 0.102 kgf.m
- Newton-metres to Pound-force feet : 1 Nm = 0.738 lbf.ft
- Newton-metres to Pound-force inches : 1 Nm = 8.851 lbf.in
- Newton-metres to Ounce-force inches : 1 Nm = 141.61 ozf.in

2. To convert kgf.m

- Kilogramme-force metres to Newton-metres : 1 kgf.m = 9.81 Nm
- Kilogramme-force metres to Pound-force feet : 1 kgf.m = 7.23 lbf.ft
- Kilogramme-force metres to Pound-force inches : 1 kgf.m = 86.8 lbf.in

3. To convert lbf.ft

- Pound-force feet en Newton-metres : 1 lbf.ft = 1.35 Nm
- Pound-force feet to Kilogramme-force metres : 1 lbf.ft = 0.138 kgf.m
- Pound-force feet to Pound-force inches : 1 lbf.ft = 12 lbf.in

4. To convert lbf.in

- Pound-force inches to Newton-metres : 1 lbf.in = 0.1129 Nm
- Pound-force inches to Kilogramme-force metres : 1 lbf.in = 0.0115 kgf.m
- Pound-force inches to Pound-force feet : 1 lbf.in = 0.083 lbf.ft
- Pound-force inches to Ounce-force inches : 1 lbf.in = 16 ozf.in

$m = 0.10$ tightening torques for phosphated or galvanised fasteners with full lubrication ($m =$ average friction coefficient)

hrm	QVQ		Steel fastener grades to ISO 898-1															
	d mm	ISO mm	mm	5.6		5.8		6.8		8.8		9.8		10.9		12.9		
				Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	
1.6**	0.35	3,2	0.060	260	0.084	364	0.096	416	0.128	555	0.144	624	0.189	815	0.221	954		
2**	0.40	4	0.126	432	0.177	604	0.202	690	0.270	921	0.303	1 036	0.396	1 352	0.463	1 582		
2.5**	0.45	5	0.261	718	0.365	1 006	0.417	1 150	0.556	1 533	0.626	1 724	0.82	2 251	0.96	2 634		
3	0.50	5.5	0.44	1 077	0.62	1 508	0.71	1 724	0.95	2 298	1.09	2 586	1.40	3 376	1.64	3 951		
4	0.70	7	1.03	1 868	1.44	2 615	1.65	2 988	2.20	3 985	2.49	4 484	3.23	5 853	3.78	6 849		
5	0.80	8	2.03	3 053	2.85	4 275	3.25	4 885	4.34	6 514	4.92	7 335	6.3	9 568	7.4	11 196		
6	1	10	3.53	4 310	4.95	6 034	5.6	6 896	7.5	9 195	8.53	10 336	11	13 506	12.9	15 805		
8	1.25	13	8.5	7 904	11.9	11 066	13.6	12 647	18.2	16 863	20.63	18 968	26	24 768	31	28 984		
10	1.50	16	16.8	12 580	23	17 612	27	20 128	36	26 838	41	30 197	52	39 418	61	46 128		
12	1.75	18	29	18 337	40	25 672	46	29 339	62	39 119	70	44 022	91	57 457	106	67 236		
14	2	21	46	25 175	65	35 245	74	40 280	99	53 707	111	60 251	145	78 882	170	92 309		
16	2	24	71	34 597	100	48 436	115	55 356	153	73 808	173	83 165	225	108 406	263	126 858		
18	2.5	27	99	42 094	139	58 932	159	67 351	220	92 440			313	131 897	366	154 348		
20	2.5	30	140	54 059	196	75 682	225	86 494	311	119 003			440	169 385	515	198 216		
22	2.5	34	192	67 511	269	94 515	307	108 017	424	148 374			602	211 534	704	247 540		
24	3	36	241	77 845	338	108 983	387	124 552	534	171 437			758	243 914	887	285 432		
27	3	41	355	102 393	498	143 350	569	163 829	784	225 110			1 114	320 832	1 304	375 442		
30	3.5	46	483	124 491	677	174 287	773	199 185	1 067	274 030			1 515	390 072	1 773	456 467		
33	3.5	50	653	155 083	915	217 116	1 046	248 132	1 442	341 347			2 048	485 926	2 397	568 637		
36	4	55	841	182 032	1 177	254 845	1 346	291 252	1 855	400 571			2 636	570 369	3 085	667 453		
39	4	60	1 088	218 667	1 523	306 135	1 741	349 868	2 399	481 158			3 410	685 159	3 990	801 782		
42**	4.5	65	1 348	250 311	1 887	350 435	2 156	400 497	2 965	550 683			4 223	784 306	4 941	917 805		
45**	4.5	70	1 681	292 970	2 353	410 158	2 690	468 752	3 698	644 534			5 267	917 973	6 164	1 074 223		
48**	5	75	2 032	329 254	2 845	460 956	3 251	526 807	4 470	724 359			6 367	1 031 663	7 450	1 207 265		
52**	5	80	2 608	395 006	3 651	553 008	4 172	632 009	5 737	869 013			8 171	1 237 685	9 562	1 448 354		
56**	5.5	85	3 255	456 159	4 557	638 622	5 208	729 854	7 161	1 003 549			10 199	1 429 298	11 935	1 672 582		
60**	5.5	90	4 032	532 893	5 645	746 050	6 451	852 629	8 871	1 172 365			12 634	1 669 732	14 785	1 953 941		
64**	6	95	4 856	602 793	6 798	843 911	7 769	964 470	10 683	1 326 146			15 215	1 888 753	17 805	2 210 243		

Grade 8-8a up to d=16 mm, 8-8b above d=18 mm



TORQUE CONTROL GUIDE



m = 0.15 tightening torques for coated or bright fasteners fitted dry (m = average friction coefficient)

d mm	ISO mm	mm	Steel fastener grades to ISO 898-1															
			5,6		5,8		6,8		8,8		9,8		10,9		12,9			
			Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo		
1,6**	0,35	3,2	0,075	234	0,105	327	0,120	374	0,160	499	0,180	561	0,235	732	0,275	857		
2**	0,40	4	0,159	388	0,222	544	0,254	621	0,339	829	0,381	932	0,498	1 217	0,582	1 424		
2,5**	0,45	5	0,330	648	0,463	907	0,529	1 036	0,705	1 382	0,793	1 555	1,04	2 030	1,21	2 375		
3	0,50	5,5	0,57	972	0,80	1 362	0,91	1 556	1,21	2 075	1,38	2 335	1,79	3 048	2,09	3 567		
4	0,70	7	1,30	1 685	1,83	2 359	2,09	2 696	2,78	3 594	3,16	4 044	4,09	5 279	4,79	6 178		
5	0,80	8	2,59	2 759	3,62	3 862	4,14	4 414	5,5	5 886	6,27	6 626	8,1	8 645	9,5	10 116		
6	1	10	4,49	3 891	6,2	5 448	7,1	6 226	9,5	8 302	10,84	9 334	14,0	12 194	16,4	14 269		
8	1,25	13	10,9	7 145	15,2	10 003	17,4	11 432	23	15 242	26,34	17 146	34	22 388	40	26 198		
10	1,50	16	21	11 379	30	15 930	34	18 206	46	24 275	52	27 313	67	35 655	79	41 724		
12	1,75	18	37	16 594	52	23 231	59	26 550	79	35 401	90	39 835	116	51 995	136	60 845		
14	2	21	59	22 789	83	31 905	95	36 463	127	48 618	143	54 570	187	71 408	219	83 563		
16	2	24	93	31 385	130	43 939	148	50 216	198	66 955	224	75 422	291	98 340	341	115 079		
18	2,5	27	128	38 123	179	53 373	205	60 998	283	83 746			402	119 454	471	139 787		
20	2,5	30	182	49 039	254	68 655	291	78 463	402	107 941			570	153 657	667	179 811		
22	2,5	34	250	61 326	350	85 857	400	98 123	552	134 806			783	192 157	917	224 865		
24	3	36	313	70 616	438	98 863	500	112 986	691	155 489			981	221 266	1 148	258 928		
27	3	41	463	93 042	649	130 259	741	148 868	1 022	204 577			1 452	291 534	1 700	341 157		
30	3,5	46	628	113 045	880	158 263	1 005	180 872	1 387	248 811			1 969	354 209	2 305	414 500		
33	3,5	50	854	141 009	1 195	197 412	1 366	225 614	1 884	310 343			2 676	441 828	3 132	517 033		
36	4	55	1 096	165 409	1 534	231 573	1 754	264 655	2 418	363 974			3 435	518 282	4 020	606 501		
39	4	60	1 424	198 910	1 994	278 474	2 279	318 257	3 139	437 669			4 463	623 253	5 223	729 339		
42**	4,5	65	1 760	227 588	2 464	318 624	2 816	364 141	3 872	500 694			5 515	713 110	6 453	834 491		
45**	4,5	70	2 203	266 613	3 085	373 258	3 525	426 580	4 847	586 548			6 903	835 386	8 079	977 579		
48**	5	75	2 659	299 530	3 722	419 342	4 254	479 248	5 849	658 966			8 330	938 528	9 748	1 098 277		
52**	5	80	3 425	359 684	4 795	503 558	5 480	575 495	7 335	791 306			10 731	1 127 011	12 558	1 318 843		
56**	5,5	85	4 270	415 172	5 978	581 240	6 832	664 275	9 394	913 378			13 379	1 300 871	15 656	1 522 296		
60**	5,5	90	5 306	485 416	7 428	679 583	8 490	776 666	11 673	1 067 916			16 625	1 520 971	19 455	1 779 860		
64**	6	95	6 382	548 969	8 935	768 556	10 212	878 350	14 041	1 207 731			19 998	1 720 102	23 402	2 012 885		

**m = 0.20 tightening torques for black or galvanized fasteners with minimal lubrication (as supplied)
(m = AVERAGE friction coefficient)**

d mm	ISO mm	mm	Steel fastener grades to ISO 898-1															
			5,6		5,8		6,8		8,8		9,8		10,9		12,9			
			Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo		
1,6**	0,35	3,2	0,086	210	0,120	294	0,137	335	0,183	447	0,206	503	0,269	657	0,315	769		
2**	0,40	4	0,183	349	0,256	488	0,293	558	0,390	744	0,439	837	0,573	1 093	0,671	1 279		
2,5**	0,45	5	0,383	582	0,536	815	0,612	931	0,816	1 242	0,918	1 397	1,20	1 824	1,40	2 134		
3	0,50	5,5	0,66	874	0,92	1 224	1,06	1 399	1,41	1 866	1,60	2 099	2,07	2 740	2,43	3 207		
4	0,70	7	1,51	1 514	2,11	2 120	2,42	2 422	3,22	3 230	3,66	3 635	4,74	4 744	5,5	5 552		
5	0,80	8	3,00	2 481	4,20	3 473	4,81	3 970	6,4	5 293	7,27	5 958	9,4	7 774	11,0	9 098		
6	1	10	5,2	3 498	7,2	4 893	8,3	5 598	11,1	7 464	12,57	8 392	16,3	10 962	19,1	12 828		
8	1,25	13	12,6	6 426	17,7	8 997	20	10 283	27	13 710	30,62	15 423	39	20 137	46	23 565		
10	1,50	16	25	10 238	35	14 334	40	16 382	53	21 843	61	24 575	78	32 082	92	37 542		
12	1,75	18	43	14 934	60	20 908	69	23 895	92	31 860	105	35 849	136	46 795	159	54 760		
14	2	21	69	20 514	97	28 719	111	32 822	148	43 763	167	49 142	218	64 277	255	75 218		
16	2	24	108	28 280	152	39 592	174	45 248	232	60 331	262	67 944	341	88 611	399	103 694		
18	2,5	27	149	34 324	209	48 054	239	54 919	330	75 421			469	107 549	549	125 856		
20	2,5	30	213	44 188	298	61 863	341	70 700	471	97 253			667	138 456	781	162 023		
22	2,5	34	293	55 298	411	77 418	470	88 478	648	121 574			920	173 269	1 077	202 762		
24	3	36	366	63 630	513	89 083	586	101 809	809	140 084			1 148	199 376	1 343			
27	3	41	544	83 910	762	117 474	871	134 257	1 201	184 517			1 706	262 920	1 997	307 672		
30	3,5	46	737	101 914	1 032	142 679	1 180	163 062	1 628	224 292			2 311	319 331	2 704	373 685		
33	3,5	50	1 004	127 210	1 406	178 094	1 607	203 536	2 216	279 953			3 148	398 593	3 684	466 438		
36	4	55	1 288	149 174	1 803	208 844	2 060	238 679	2 840	328 236			4 036	467 413	4 723	546 973		
39	4	60	1 677	179 487	2 348	251 282	2 683	287 179	3 697	394 919			5 255	562 393	6 150	658 119		
42**	4,5	65	2 070	205 323	2 898	287 452	3 312	328 516	4 554	511 710			6 486	643 344	7 590	752 849		
45**	4,5	70	2 596	240 641	3 635	336 897	4 154	385 025	5 712	529 410			8 136	754 008	9 520	882 350		
48**	5	75	3 130	270 321	4 383	378 449	5 009	432 514	6 887	594 706			9 809	847 006	11 478	991 177		
52**	5	80	4 041	324 763	5 657	454 668	6 465	519 620	8 889	714 478			12 661	1 017 590	14 816	1 190 797		
56**	5,5	85	5 034	374 739	7 048	524 635	8 054	599 582	11 075	824 426			15 773	1 174 182	18 458	1 374 043		
60**	5,5	90	6 266	438 337	8 772	613 672	10 256	701 340	13 785	964 342			19 634	1 373 457	22 976	1 607 237		
64**	6	95	7 533	495 676	10 546	693 947	12 052	793 082	16 572	1 090 488			23 603	1 553 119	27 620	1 817 480		

* Grade 8-8a up to d=16 mm, 8-8b above d=118 mm

PART NO INDEX


Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.
18603	22	1-86-215	11	1-88-146	9	1-89-658	9	54-114	47
0-10-150	30	1-86-342	9	1-88-147	9	1-89-660	9	54-115	47
0-10-151	30	1-86-343	9	1-88-148	9	1-89-819	10	54-118	47
0-11-325	29	1-86-344	9	1-88-149	9	1-91-379	12	57-054	47
0-11-983	29	1-86-345	9	1-88-150	9	1-91-380	12	57-055	47
0-15-218	30	1-86-346	9	1-88-151	9	1-91-395	12	57-056-23	47
0-42-287	45	1-86-347	9	1-88-558	11	1-91-396	12	57-057	47
10-099	29	1-86-348	9	1-88-738	8	1-91-398	12	57-527	47
10-175	29	1-86-349	9	1-88-739	8	1-91-403	12	57-528	47
10-189	29	1-86-350	9	1-88-740	8	1-92-959	12	57-530	47
10-409	29	1-86-351	9	1-88-741	8	1-92-960	12	57-531	47
10-418	29	1-86-352	9	1-88-742	8	1-93-636	10	57-532	47
10-425	29	1-86-372	11	1-88-743	8	1-93-637	10	62-241	38
1-11-983	29	1-86-397	10	1-88-744	8	1-93-638	10	62-242	38
11-300H	30	1-86-405	10	1-88-745	8	20-807	31	62-243	38
11-300T	30	1-86-406	11	1-88-746	8	2-65-144	38	62-244	38
11-301H	30	1-86-407	11	1-88-747	8	2-65-145	38	62-245	38
11-301T	30	1-86-408	11	1-88-748	8	2-65-146	38	62-246	38
11-921H	29	1-86-412	11	1-88-749	8	2-65-147	38	62-247	38
14-125	31	1-86-414	11	1-88-750	8	2-65-148	38	62-248	38
14-163	34	1-86-418	8	1-88-751	8	2-65-149	38	62-249	38
14-164	34	1-86-419	8	1-88-752	8	2-65-150	38	62-250	38
14-165	34	1-86-420	8	1-88-753	8	2-65-151	38	62-251	38
14-166	34	1-86-421	8	1-88-788	9	2-65-152	38	62-252	38
14-302	31	1-86-422	8	1-88-789	9	2-65-153	38	62-253	38
14-308-23	34	1-86-423	8	1-88-790	9	2-65-154	38	62-254	38
14-312-23	34	1-86-424	8	1-88-791	9	2-65-157	37	62-255	38
14-314-23	34	1-86-425	8	1-88-792	9	2-65-158	37	62-256	38
14-318-23	34	1-86-426	8	1-88-793	9	2-65-159	37	62-257	38
14-324-23	34	1-86-427	8	1-88-794	9	2-65-160	37	62-258	38
14-330-23	34	1-86-428	8	1-88-795	9	2-65-162	37	62-259	38
14-336-23	34	1-86-429	8	1-88-796	9	2-65-163	37	62-260	38
14-442-22	36	1-86-430	8	1-88-797	9	2-65-164	37	62-261	38
14-556-22	34	1-86-431	8	1-88-798	9	2-65-165	37	62-262	38
14-562-22	34	1-86-432	8	1-88-799	9	2-65-166	38	62-263	38
14-563-22	34	1-86-433	8	1-88-800	9	2-65-167	38	62-264	38
14-564-22	34	1-86-434	8	1-88-801	9	2-65-169	38	62-265	38
15-166	30	1-86-435	8	1-88-802	9	2-65-170	38	62-266	38
15-265-23	31	1-86-436	8	1-88-803	9	2-65-171	38	62-267	38
15-988	31	1-86-438	8	1-88-930	11	2-65-172	38	62-268	38
16-089	48	1-86-439	8	1-89-033	4	2-65-173	38	62-269	38
16-120	48	1-86-440	11	1-89-035	5	2-65-174	38	62-270	38
16-226	49	1-86-508	8	1-89-098	6	2-65-181	37	62-511-22	39
16-228	49	1-86-509	8	1-89-099	6	2-65-182	37	65-201	39
16-229	48	1-86-510	8	1-89-101	6	2-65-183	37	65-980	39
16-230	49	1-86-511	8	1-89-188	9	2-65-186	37	66-039	40
16-231	49	1-86-512	8	1-89-189	9	2-65-187	37	66-052	40
16-233	49	1-86-513	8	1-89-190	9	2-65-188	37	66-120	40
16-234	49	1-86-514	8	1-89-191	9	2-65-189	37	66-137	40
16-235	49	1-86-515	8	1-89-192	9	2-65-190	37	66-432	39
16-236	49	1-86-536	8	1-89-193	9	2-65-191	37	66-433	39
16-288	49	1-86-540	9	1-89-194	9	2-65-192	37	66-434	39
16-289	49	1-86-541	9	1-89-302	10	2-65-193	37	66-435	39
16-290	49	1-86-542	9	1-89-303	11	2-65-194	37	66-436	39
16-291	49	1-86-543	9	1-89-308	11	2-65-195	37	66-437	39
16-298	48	1-86-544	9	1-89-619	9	2-65-196	37	66-438	39
20-807	31	1-86-545	9	1-89-621	9	2-65-197	37	66-439	39
16-299	49	1-86-546	9	1-89-622	9	2-65-198	37	66-446	39
1-77-174	44	1-86-547	9	1-89-623	9	2-65-199	38	66-447	39
1-84-519	18	STMT72794-8	4	1-89-624	9	2-65-200	38	66-448	39
1-86-004	11	STMT72793-8	4	1-89-625	9	2-65-242	38	66-449	39
1-86-010	11	STMT72795-8	6	1-89-626	9	42-072	45	68-0002C	39
1-86-101	7	1-86-589	6	1-89-627	9	42-074	45	68-010-22	40
1-86-102	7	1-87-036	14	1-89-628	9	42-075	45	68-012	39
1-86-103	7	1-87-038	14	1-89-629	9	42-076	45	68-071-23	40
1-86-104	7	1-87-430	16	1-89-630	9	42-264	45	68-075-23	40
1-86-105	7	1-87-500	12	1-89-631	9	42-465	44	69-031B	43
1-86-106	7	1-87-501	12	1-89-632	9	43-609	44	69-119-22	41
1-86-107	7	1-87-502	12	1-89-633	9	47-440	45	69-213-22	41
1-86-108	7	1-87-504	12	1-89-634	9	47-443	45	69-230-22	41
1-86-109	7	1-87-505	12	1-89-635	9	51-152	46	69-251-22	41
1-86-110	7	1-87-506	12	1-89-636	9	51-158	46	69-253-22	41
1-86-111	7	1-87-507	12	1-89-638	9	51-159	46	69-254-22	41
1-86-112	7	1-87-508	12	1-89-640	9	51-185	46	69-256-22	41
1-86-114	7	1-87-617	15	1-89-641	9	51-186	47	69-257-22	41
1-86-192	9	1-87-709	14	1-89-642	9	51-187	47	69-259-22	41
1-86-196	7	1-87-710	10	1-89-644	9	54-105	47	69-260-22	41
1-86-208	11	1-87-715	10	1-89-646	9	54-106	47	69-261-22	41
1-86-212	11	1-87-718	14	1-89-650	9	54-107	47	69-262-22	41
1-86-214	11	1-87-720	10	1-89-655	9	54-111	47	69-263-22	41

PART NO INDEX

	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.
69-646-22	71-682	15	84-475-22	27	90-178	18	96-923	15
69-799-22	71-683	15	84-629-22	34	91-316	10	96-924	15
69-GR20B	71-684	15	84-630-22	34	91-931	3	96-925	15
70115-S	71-877E	26	84-632-22	34	91-933	3	96-926	15
70-366E	71-878E	26	85-931-1-22	16	91-935	5	96-927	15
70-367E	71-879E	26	85-933-1-22	16	91-938	5	96-928	15
70-368E	71-880E	26	85-934-1-22	16	91-939	6	96-929	15
70-369E	71-881E	26	85-936-1-22	16	92-624	42	96-930	15
70-370E	71-882E	26	85-937-1-22	16	92-625	42	96-931	15
70-371E	71-996-IN	20	85-938-1-22	16	92-905	22	96-932	15
70-372E	72-060	13	85-939-1-22	16	92-906	22	96-934	15
70-373E	72-061	13	86-375-22	11	92-908	22	96-936-23	15
70-374E	72-062	13	86-477	5	93-019-0-22	36	96-938-23	15
70-375E	72-063	13	86-478	6	93-021-22	36	96-939-23	15
70-376E	72-064	13	86-493-22	11	93-040-22	36	96-940-23	15
70-377E	72-065	13	87-371-1-23	16	93-041-22	36	96-941-23	15
70-378E	72-066	13	87-430-1-22	16	93-091	11	96-950-23	15
70-379E	72-067	14	87-431-1-23	16	93-222	23	96-951	15
70-380E	72-068	14	87-432-1-23	16	93-223	23	96-952	15
70-381E	72-069	14	87-433-1-23	16	93-224	23	96-953	15
70-382E	72-070	14	87-434-1-23	16	93-225	22	96-954-23	15
70-383E	72-071	14	87-435-1-23	16	93-302-1-22	11	96-955-23	15
70-384E	72-072	14	87-620-23	35	93-303-1-22	11	96-956	15
70-385E	73-523	19	87-621-23	35	93-304-1-22	11	96-957	15
70-386E	82-100-22	17	87-622-23	35	93-306-1-22	11	96-958	15
70-387E	82-102-22	17	87-623-23	35	93-307-1-22	11	96-959	15
70-388E	83-031K	43	87-624-23	35	93-308-1-22	11	96-960-23	15
70-389E	83-032K	43	87-625-23	35	93-309-1-22	11	96-961-23	15
70-390E	83-033K	43	87-626-23	35	93-328	23	97-797-23	16
70-391E	83-034K	43	87-627-23	35	93-545-23	22	997694-S	18
70-392E	83-035K	43	87-712	14	93-546-23	21	A50T	51
70-393E	84-001-22	24	87-796	16	93-547-23ID	21	AVT100A	51
70-394E	84-002-22	24	88-908	11	94-080	42	AVT300A	51
70-395E	84-003-22	25	88-909	11	94-081	42	AVT600	51
70-461	84-011-22	24	89-307	11	94-088	42	E200T	51
70-462	84-096-23	26	89-319	8	94-102	42	E340T	51
70-482	84-097-23	25	89-322	8	94-103	42	EVT1200A	51
70-483	84-098-23	25	89-324	8	94-104	42	EVT2000A	51
70746-S	84-100-23	25	89-327	8	94-106	42	EVT3000A	51
70747-S	84-101-23	25	89-328	8	94-108	42	EVT600A	51
70748-S	84-102-23	25	89-330	8	94-149	42	GVT8400	51
70875-S	84-104-23	25	89-332	8	94-150	42	HVT5000	51
70876-S	84-105-23	25	89-334	8	94-151	42	HVT7200	51
70877-S	84-108-23	25	89-336	8	94-152	42	ST90801CE	50
70-936E	84-110-23	25	89-338	8	94-153	42	ST92001CE	50
70-937E	84-111-23	25	89-341	8	94-154-23	42	ST-93001CE	50
70-938E	84-112-23	25	89-346	8	94-155	42	ST-95001CE	50
70-939e	84-113-23	25	89-350	8	94-156	42	STHT30436	44
70-940E	84-119-23	26	89-435	12	94-157	42	STHT30437	44
70-941E	84-122-23	26	89-436	12	94-158	42	STHT30439	44
70-942E	84-124-23	26	89-437	12	94-161	41	STHT1-43118	45
70-943E	84-125-23	26	89-438	12	94-162	42	STHT1-43103	45
70-944E	84-126-23	26	89-439	12	94-163-23	41	STHT1-43105	45
70-945E	84-134-1-23	26	89-440	12	94-165	18	STHT1-43106	45
70-946E	84-135-1-23	26	89-441	12	94-166	18	STHT72991-8B	40
70-947E	84-168	27	89-442	12	94-171	18	STHT72991-8	40
70-948E	84-214-22	31	89-443	12	94-181	3	STHT72992-8B	40
70-949E	84-223-22	27	89-444	12	94-190	4	STHT72992-8	40
70-950E	84-253-22	27	89-445	12	94-192-23	22	STMT89395-8B	12
70-951E	84-258-23	34	89-446	12	94-193	21	STMT89397-8B	12
70-952E	84-332-23	26	89-447	12	95-050	18	STMT89400-8B	12
70-953E	84-334-23	26	89-448	12	95-2687	23	STMT89402-8B	12
70-954E	84-335-23	26	89-449	12	95-269	23	STMT89404-8B	12
70-955E	84-338-23	27	89-450	12	95B56400E	48	STMT89405-8B	12
70-957E	84-341-23	27	89-452	12	95B56401E	48	STMT89406-8B	12
70-960E	84-348-23	27	89-453	12	95B56608E	48	STMT89408-8B	12
70-961E	84-362-23	27	89-454	12	95B56612E	48	STMT89410-8B	12
70-962E	84-363-23	27	89-455	12	95B56614E	48	STMT89412-8B	12
70-963E	84-364-23	27	89-456	12	96-250	36	STMT89414-8B	12
70-964E	84-369-1-23	27	89-457	12	96-256	23	STMT89416-8B	12
70-965E	84-371-1-23	27	89-458	12	96-911	15	STMT89418-8B	12
71-641	84-389-23	27	89-459	12	96-913	15	STMT89421-8B	12
71-642	84-446-23	26	89-460	12	96-914	15	STMT89423-8B	12
71-643	84-447-23	26	89-461	12	96-915	15	STMT89426-8B	12
71-644	84-448-23	26	89-462	12	96-917	15	STMT89430-8B	12
71-645	84-451	35	89-509	5	96-918	15	STST3595-8	21
71-668	84-463-23	35	89-515-1-22	16	96-919	15	STST3596-8	21
71-669	84-465-23	35	89-516	5	96-920	15		
71-670	84-466-23	35	89-519-1-22	16	96-921	15		
71-671	84-467-23	35	89-558-1-22	16	96-922	15		

EXPERT

STANLEY



New
PRO range
Automotive
Industry



www.expert-tool.com

EXPERT

STANLEY

A world leading brand in hand tools suited to the needs of industrial and automotive professionals

• EXPERT products

- designed to meet the needs and requirements of professionals
- based on a specifications sheet produced by the R&D department of the Stanley group
- meeting all currently enforced ISO and DIN standards

• EXPERT quality/price ratio

EXPERT products are designed to withstand heavy professional use. The price positioning of the EXPERT range is designed particularly to meet competitiveness expectations of users.

• EXPERT guarantee

Quality of the tools is certified by the EXPERT guarantee. Unless specified otherwise, EXPERT offers a guarantee for all manufacturing flaws and faults on all products in the range without time limit.


It results in replacing or repairing faulty parts, under specific terms*.

*The guarantee is cancelled in case of abuse, modification of the tools, inappropriate maintenance. The EXPERT approved distributor to which the product is returned accepts or refuses to apply the guarantee based on these terms, and after validation by EXPERT's representative or EXPERT's technical department.



Demanding standards

All tools comply with currently enforced DIN and ISO international standards



AVT100A

EVT600A

EVT3000A

HVT5000

GVT8400



Torque Wrenches





Pro for life



Industry Segment

- Aviation & Aerospace
- Automotive



2013

www.facom.com



PROTO[®]

**IN SOME WORKPLACES
YOU NEVER HEAR
"THAT'S GOOD ENOUGH"**

In certain applications, only the best will do. Which is why demanding professionals working in places like aircraft plants, military installations, coal mines and power generation facilities demand Proto.

Our tools are far good.

Just like the people who use them.



Industry Segment

- Oil & Gas
- Power Generation



www.stanleyproto.com

STANLEY

Vidmar®

STORAGE SYSTEMS

HOUSINGS

SINGLE DRAWER RELEASE

MOBIL


PRECONFIGURED

NC TOOL STORAGE

STAK SYSTEM®

Industry Segment

- Tool Storage Solution
for all industry segments



www.stanleyvidmar.com

STANLEY

Stanley Black & Decker India Limited

No.28 "Akemps" 3rd Main, 1st Cross, Ashwini Layout,
Koramangala Intermediate Ring Road, Bangalore - 560047

Tel: +91-80-66608800 Fax: +91-80-66608828

Web: www.stanleyblackanddeckerindia.in
www.stanleyindia.in

Toll Free No. 1860-425-1111

Sales Offices:

Bangalore: +91 80 41643711 Chennai: +91 44 42033727 Delhi: +91 11 23766980

Kolkata: +91 33 30029284 Mumbai: +91 22 67973977 Cochin: +91 9895301967

Jaipur: +91 9694064222

Dealer's Seal